

Microsoft Word 2019

Step

by

Step

Joan Lambert



PRACTICE FILES

FREE SAMPLE CHAPTER

SHARE WITH OTHERS





Microsoft Word 2019 Step by Step

Joan Lambert

© **Microsoft Word 2019 Step by Step**

Published with the authorization of Microsoft Corporation by:
Pearson Education, Inc.

Copyright © 2019 by Pearson Education, Inc.

All rights reserved. This publication is protected by copyright, and permission must be obtained from the publisher prior to any prohibited reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording, or likewise. For information regarding permissions, request forms, and the appropriate contacts within the Pearson Education Global Rights & Permissions Department, please visit www.pearsoned.com/permissions/. No patent liability is assumed with respect to the use of the information contained herein. Although every precaution has been taken in the preparation of this book, the publisher and author assume no responsibility for errors or omissions. Nor is any liability assumed for damages resulting from the use of the information contained herein.

ISBN-13: 978-1-5093-0587-2

ISBN-10: 1-5093-0587-4

Library of Congress Control Number: 2018914581

1 18

Trademarks

Microsoft and the trademarks listed at <http://www.microsoft.com> on the “Trademarks” webpage are trademarks of the Microsoft group of companies. All other marks are property of their respective owners.

Warning and Disclaimer

Every effort has been made to make this book as complete and as accurate as possible, but no warranty or fitness is implied. The information provided is on an “as is” basis. The author, the publisher, and Microsoft Corporation shall have neither liability nor responsibility to any person or entity with respect to any loss or damages arising from the information contained in this.

Special Sales

For information about buying this title in bulk quantities, or for special sales opportunities (which may include electronic versions; custom cover designs; and content particular to your business, training goals, marketing focus, or branding interests), please contact our corporate sales department at corpsales@pearsoned.com or (800) 382-3419.

For government sales inquiries, please contact governmentsales@pearsoned.com. For questions about sales outside the U.S., please contact intlcs@pearson.com.

Editor-in-Chief

Brett Bartow

Executive Editor

Loretta Yates

Assistant Editor

Charvi Arora

Managing Editor

Sandra Schroeder

Senior Project Editor

Tracey Croom

Copy Editor

Dan Foster

Indexer

Valerie Haynes Perry

Proofreader

Scout Festa

Technical Editor

Laura Acklen

Editorial Assistant

Cindy Teeters

Cover Designer


Twist Creative, Seattle

Composer


Danielle Foster

Contents

About the author..... xi

	Introduction	xiii
	Who this book is for	xiii
	The <i>Step by Step</i> approach	xiii
	Features and conventions	xiv
	Download the practice files	xv
	E-book edition	xviii
	Get support and give feedback.....	xix
	Errata and support	xix
Stay in touch	xix	

Part 1: Get started with Word 2019

	Word 2019 basics	3
	Start Word	4
	Work in the Word user interface.....	5
	Identify app window elements	6
	Sidebar: About Office.....	8
	Work with the ribbon and status bar.....	15
	Sidebar: Adapt procedures for your environment.....	16
	Manage Office and app settings	22
	Sidebar: Microsoft account options.....	23
	Get help and provide feedback.....	28
	Key points	33
Practice tasks	34	

2

Create and manage documents.	37
Create documents.	38
Open and move around in documents.	44
Open existing documents.	44
Sidebar: Open documents in Protected View.	46
Sidebar: Open and edit PDF files in Word	48
Move around in documents.	48
Display different views of documents.	53
Display and edit file properties.	60
Save and close documents	61
Manually save documents	62
Automatically save documents	65
Sidebar: Save files to OneDrive	66
Save documents in other formats.	68
Sidebar: Maintain compatibility with earlier versions of Word	71
Close documents.	72
Key points	73
Practice tasks	74

3

Enter and edit text.	79
Enter and import text.	80
Move, copy, and delete text.	84
Sidebar: Paste options	88
Find and replace text	91
Use reference and research tools	97
Sidebar: Install Office tools.	100
Sidebar: Display document statistics	102
Key points	105
Practice tasks	106

Part 2: Create professional documents

4

Modify the structure and appearance of text	113
Apply paragraph formatting	114
Configure alignment	115
Configure vertical spacing	116
Configure indents	120
Sidebar: Configure paragraph borders and shading	123
Structure content manually	124
Apply character formatting	128
Sidebar: Character formatting and case considerations	135
Sidebar: Format the first letter of a paragraph as a drop cap	136
Create and modify lists	137
Sidebar: Format text as you type	141
Apply built-in styles to text	142
Apply styles	142
Manage outline levels	147
Change the document theme	149
Key points	153
Practice tasks	154

5

Organize information in columns and tables	159
Present information in columns	160
Create tabbed lists	167
Present information in tables	169
Sidebar: Insert spreadsheet content into a document	171
Sidebar: Other table layout options	178
Format tables	186
Sidebar: Quick Tables	190
Key points	193
Practice tasks	194

6

Add simple graphic elements.....	197
Insert, move, and resize pictures	198
Sidebar: Graphic formats.....	200
Edit and format pictures	202
Sidebar: Add video content to documents	212
Provide additional information about pictures	213
Insert screen clippings.....	216
Insert and format icons.....	220
Sidebar: Work with scalable vector graphics.....	222
Draw and modify shapes.....	223
Draw and add text to shapes.....	223
Sidebar: Use the drawing canvas to draw shapes.....	224
Sidebar: Locate additional formatting commands	225
Move and modify shapes	225
Format shapes	228
Sidebar: Insert symbols.....	231
Build equations	233
Key points	238
Practice tasks	239

Part 3: Enhance document content

7

Insert and modify diagrams and 3D models	247
Create diagrams.....	248
Modify diagrams.....	254
Create picture diagrams	260
Insert and modify 3D models	263
Insert 3D models.....	264
Modify 3D models	266
Key points	269
Practice tasks	270

8

Insert and modify charts	275
Create charts	276
Sidebar: Custom chart templates	281
Modify charts	282
Manage chart data	282
Modify the display of chart elements	285
Sidebar: Pie charts	290
Format charts	291
Key points	295
Practice tasks	296

9

Format document elements	301
Format the page background	302
Insert a background watermark	309
Insert headers, footers, and page numbers	314
Insert preformatted document parts	319
Sidebar: Insert and link custom text boxes	325
Key points	326
Practice tasks	327

10

Organize and arrange content	331
Reorganize document outlines	332
Manage content in the Navigation pane	332
Manage content in Outline view	334
Arrange objects on a page	338
Use tables to control page layout	348
Sidebar: Structure content for accessibility	349
Key points	350
Practice tasks	351

Part 4: Review and finalize documents

11

Collaborate on documents	357
Mark up documents	358
Insert comments	358
Track changes	361
Display and review document markup	364
Display markup	364
Review and respond to comments	369
Review and process tracked changes	371
Sidebar: Remember to check for errors	373
Compare and combine documents	373
Compare and combine separate copies of a document	374
Compare separate versions of a document	377
Control content changes	378
Restrict actions	379
Restrict access by using a password	384
Coauthor documents	389
Key points	393
Practice tasks	394

12

Finalize and distribute documents	399
Locate and correct text errors	400
Sidebar: Set mathematical AutoCorrect options	409
Preview and adjust page layout	411
Control what appears on each page	417
Prepare documents for electronic distribution	422
Sidebar: Accessibility issues	426
Print and send documents	429
Key points	435
Practice tasks	436

Part 5: Use advanced Word functions

13

Reference content and content sources	443
Insert bookmarks and cross-references	444
Sidebar: Hyperlink to additional resources	449
Display document information in fields	450
Insert and modify footnotes and endnotes	454
Create and modify tables of contents	456
Sidebar: Other reference tables	461
Create and modify indexes	463
Cite sources and compile bibliographies	470
Key points	477
Practice tasks	478

14

Merge data with documents and labels	485
Understand the mail merge process	486
Start the mail merge process	487
Get started with letters	488
Get started with labels	489
Get started with email messages	492
Choose and refine the data source	494
Select an existing data source	495
Create a new data source	498
Refine the data source records	499
Sidebar: Refresh data	504
Insert merge fields	504
Preview and complete the merge	507
Create individual envelopes and labels	510
Generate individual envelopes	510
Generate individual mailing labels	514
Key points	517
Practice tasks	518

15

Create custom document elements	523
Create and modify styles	524
Create and manage custom themes	531
Create and attach templates	533
Create custom building blocks	538
Key points	542
Practice tasks	543

16

Customize options and the user interface	547
Change default Word options	548
Manage general Office and Word options	550
Manage display options	554
Manage proofing options	555
Manage file saving options	559
Manage language options	562
Manage advanced options	565
Customize the Quick Access Toolbar	573
Sidebar: Transfer user interface customizations to another Word installation	578
Customize the ribbon	580
Manage add-ins and security options	584
Manage add-ins	584
Configure Trust Center options	587
Key points	594
Practice tasks	595
Appendix: Keyboard shortcuts	599
Glossary	625
Index	635

About the author



Joan Lambert has worked closely with Microsoft technologies since 1986, and in the training and certification industry since 1997, guiding the translation of technical information and requirements into useful, relevant, and measurable resources for people seeking certification of their computer skills or who simply want to get things done efficiently.

Joan is the author or coauthor of more than 50 books about Windows and Office (for Windows, Mac, and iPad), five generations of Microsoft Office Specialist certification study guides, video-based training courses for SharePoint and OneNote, QuickStudy guides for Windows 10 and Office 2016, and *GO!* series books about Outlook.

Joan is a Microsoft Certified Professional, Microsoft Office Specialist Master (for all versions of Office since Office 2003), Microsoft Certified Technology Specialist (for Windows and Windows Server), Microsoft Certified Technology Associate (for Windows), Microsoft Dynamics Specialist, and Microsoft Certified Trainer.

Joan is a Pacific Northwest native, now blissfully based in America's Finest City with her simply divine daughter, Trinity; her German host daughter, Elly; and their faithful canine, feline, and aquatic companions.

The Office 2019 version of this book was a highly collaborative process that could not have been completed without the tender care of Joan's long-time colleagues Susie Carr and Jaime Odell.

Modify the structure and appearance of text

4

Documents contain text that conveys information to readers, but the appearance of the document content also conveys a message. You can provide structure and meaning by formatting the text in various ways. Word 2019 provides a variety of simple-to-use tools that you can use to apply sophisticated formatting and create a navigational structure.

In a short document or one that doesn't require a complex navigational structure, you can easily format words and paragraphs so that key points stand out and the structure of your document is clear. You can achieve dramatic flair by applying predefined WordArt text effects. To keep the appearance of documents and other Microsoft Office files consistent, you can format document elements by applying predefined sets of formatting called *styles*. In addition, you can change the fonts, colors, and effects throughout a document with one click by applying a theme.

This chapter guides you through procedures related to applying character and paragraph formatting, structuring content manually, creating and modifying lists, applying styles to text, and changing a document's theme.

In this chapter

- Apply paragraph formatting
- Structure content manually
- Apply character formatting
- Create and modify lists
- Apply built-in styles to text
- Change the document theme

Apply paragraph formatting


You create a paragraph by entering text and then pressing the Enter key. A paragraph can contain one word, one sentence, or multiple sentences. Every paragraph ends with a paragraph mark, which looks like a backward P (¶). Paragraph marks and other structural characters (such as spaces, line breaks, and tabs) are usually hidden, but you can display them. Sometimes displaying these hidden characters makes it easier to accomplish a task or understand a structural problem.



SEE ALSO For information about working with hidden structural characters, see the sidebar “Structure content manually,” later in this chapter.

You can change the look of a paragraph by changing its indentation, alignment, and line spacing, in addition to the space before and after it. You can also put borders around it and shade its background. Collectively, the settings you use to vary the look of a paragraph are called *paragraph formatting*.

You can modify a paragraph’s left and right edge alignment and vertical spacing by using tools on the Home tab of the ribbon, and its left and right indents from the Home tab, the Layout tab, or the ruler. The ruler is often hidden to provide more space for the document content.




The left indent can be changed from the Home tab, the Layout tab, or the ruler

If you modify a paragraph and aren’t happy with the changes, you can restore the original paragraph and character settings by clearing the formatting to reset the paragraph to its base style.



SEE ALSO For information about styles, see “Apply built-in styles to text” later in this chapter.

When you want to make several adjustments to the alignment, indentation, and spacing of selected paragraphs, it is sometimes quicker to make changes in the Paragraph dialog box than to select buttons and drag markers.



The Paragraph dialog box

Configure alignment

The alignment settings control the horizontal position of the paragraph text between the page margins. There are four alignment options:

- **Align Left** This is the default paragraph alignment. It sets the left end of each line of the paragraph at the left page margin or left indent. It results in a straight left edge and a ragged right edge.
- **Align Right** This option sets the right end of each line of the paragraph at the right page margin or right indent. It results in a straight right edge and a ragged left edge.

- **Center** This option centers each line of the paragraph between the left and right page margins or indents. It results in ragged left and right edges.
- **Justify** This option adjusts the spacing between words so that the left end of each line of the paragraph is at the left page margin or indent, and the right end of each line of the paragraph (other than the last line) is at the right margin or indent. It results in straight left and right edges.

The icons on the alignment buttons on the ribbon depict the effect of each alignment option.

To open the Paragraph dialog box

- On the **Home** tab or the **Layout** tab, in the **Paragraph** group, select the **Paragraph Settings** dialog box launcher.
- On the **Home** tab, in the **Paragraph** group, select the **Line and Paragraph Spacing** button and then **Line Spacing Options**.

To set paragraph alignment


- Position the cursor anywhere in the paragraph, or select all the paragraphs you want to adjust. Then do either of the following:
 - On the **Home** tab, in the **Paragraph** group, select the **Align Left**, **Center**, **Align Right**, or **Justify** button.
 - Open the **Paragraph** dialog box. On the **Indents and Spacing** tab, in the **General** area, select **Left**, **Centered**, **Right**, or **Justified** in the **Alignment** list.

Configure vertical spacing

Paragraphs have two types of vertical spacing:

- **Paragraph spacing** This is the space between paragraphs, defined by setting the space before and after each paragraph. This space is usually measured in points.
- **Line spacing** This is the space between the lines within a paragraph, defined by setting the height of the lines either in relation to the height of the text (single, double, or a specific number of lines) or by specifying a minimum or exact point measurement.

The default line spacing for documents created in Word 2019 is 1.08 lines. Changing the line spacing alters the appearance and readability of the text in the paragraph and the amount of space it occupies on the page.



The effect of changing line spacing


You can set the paragraph and line spacing for individual paragraphs and for paragraph styles. You can quickly adjust the spacing of most content in a document by selecting an option from the Paragraph Spacing menu on the Design tab. (Although the menu is named Paragraph Spacing, the menu options control both paragraph spacing and line spacing.) These options, which are named by effect rather than by specific measurements, work by modifying the spacing of the Normal paragraph style and any other styles that depend on the Normal style for their spacing. (In standard templates, most other styles are based on the Normal style.) The Paragraph Spacing options modify the Normal style in only the current document and do not affect other documents.

The following table describes the effect of each Paragraph Spacing option on the paragraph and line spacing settings.

Paragraph spacing option	Before paragraph	After paragraph	Line spacing
Default	Controlled by style set	Controlled by style set	Controlled by style set
No Paragraph Space	0 points	0 points	1 line
Compact	0 points	4 points	1 line
Tight	0 points	6 points	1.15 lines
Open	0 points	10 points	1.15 lines
Relaxed	0 points	6 points	1.5 lines
Double	0 points	8 points	2 lines

To quickly adjust the vertical spacing before, after, and within all paragraphs in a document

1. On the **Design** tab, in the **Document Formatting** group, select **Paragraph Spacing** to display the Paragraph Spacing menu.




Each paragraph spacing option controls space around and within the paragraph

2. Select the option you want to apply to all the paragraphs in the document.

To adjust the spacing between paragraphs


1. Select all the paragraphs you want to adjust.
2. On the **Layout** tab, in the **Paragraph** group, adjust the **Spacing Before** and **Spacing After** settings.



The settings in the Spacing boxes are measured in points

To adjust spacing between the lines of paragraphs

- Position the cursor anywhere in the paragraph, or select all the paragraphs you want to adjust. Do either of the following:
 - To make a quick adjustment to the selected paragraphs, on the **Home** tab, in the **Paragraph** group, select the **Line and Paragraph Spacing** button, and then select any of the line-spacing commands on the menu.



You can choose from preset internal line-spacing options or adjust paragraph spacing



TIP You can also adjust the space before and after selected paragraphs from the Line And Paragraph Spacing menu. Selecting one of the last two options adds or removes a preset amount of space between the selected paragraphs.

- To make a more-specific adjustment, open the **Paragraph** dialog box. Then, on the **Indents and Spacing** tab, in the **Spacing** area, make the adjustments you want to the paragraph spacing, and then select **OK**.

Configure indents

In Word, you don't define the width of paragraphs and the length of pages by defining the area occupied by the text. Instead, you define the size of the white space—the left, right, top, and bottom margins—around the text.




SEE ALSO For information about setting margins, see “Preview and adjust page layout” in Chapter 12, “Finalize and distribute documents.” For information about sections, see “Control what appears on each page” in the same chapter.

Although the left and right margins are set for a whole document or for a section of a document, you can vary the position of a paragraph between the margins by indenting the left or right edge of the paragraph.

A paragraph indent is the space from the page margin to the text. You can change the left indent by selecting buttons on the Home tab, or you can set the indents directly on the ruler. Three indent markers are always present on the ruler:

- **Left Indent** This defines the outermost left edge of each line of the paragraph.
- **Right Indent** This defines the outermost right edge of each line of the paragraph.
- **First Line Indent** This defines the starting point of the first line of the paragraph.

The ruler indicates the space between the left and right page margins in a lighter color than the space outside of the page margins.



The indent markers on the ruler

The default setting for the Left Indent and First Line Indent markers is 0.0", which aligns with the left page margin. The default setting for the Right Indent marker is the distance from the left margin to the right margin. For example, if the page size is set to 8.5 inches wide and the left and right margins are set to 1.0 inch, the default Right Indent marker is at 6.5 inches.

You can arrange the Left Indent and First Line Indent markers to create a hanging indent or a first line indent. Hanging indents are most commonly used for bulleted and numbered lists, in which the bullet or number is indented less than the main text (essentially, it is *outdented*). First line indents are frequently used to distinguish the beginning of each subsequent paragraph in documents that consist of many consecutive paragraphs of text. Both types of indents are set by using the First Line Indent marker on the ruler.



TIP The First Line Indent marker is linked to the Left Indent marker. Moving the Left Indent marker also moves the First Line Indent marker to maintain the first line indent distance. You can move the First Line Indent marker independently of the Left Indent marker to change the first line indent distance.

To display the ruler

- On the **View** tab, in the **Show** group, select the **Ruler** check box.



TIP In this book, we show measurements in inches. If you want to change the measurement units Word uses, open the Word Options dialog box. On the Advanced page, in the Display area, select the units you want in the Show Measurements In Units Of list. Then select OK.

To indent or outdent the left edge of a paragraph

- Position the cursor anywhere in the paragraph or select all the paragraphs you want to adjust. Then do any of the following:
 - On the **Home** tab, in the **Paragraph** group, select the **Increase Indent** or **Decrease Indent** button to move the left edge of the paragraph in 0.25-inch increments.



TIP You cannot increase or decrease the indent beyond the margins by using the Increase Indent and Decrease Indent buttons. If you do need to extend an indent beyond the margins, you can do so by setting negative indentation measurements in the Paragraph dialog box.

- Open the **Paragraph** dialog box. Then, on the **Indents and Spacing** tab, in the **Indentation** area, set the indent in the **Left** box, and then select **OK**.
- On the ruler, drag the **Left Indent** marker to the ruler measurement at which you want to position the left edge of the body of the paragraph.

To create a hanging indent or first line indent

1. Position the cursor anywhere in the paragraph or select all the paragraphs you want to adjust.
2. Open the **Paragraph** dialog box. Then, on the **Indents and Spacing** tab, in the **Indents** area, select **First line** or **Hanging** in the **Special** box.
3. In the **By** box, set the amount of the indent, and then select **OK**.

Or

1. Set the left indent of the paragraph body.
2. On the ruler, drag the **First Line Indent** marker to the ruler measurement at which you want to begin the first line of the paragraph.

To indent or outdent the right edge of a paragraph


- Position the cursor anywhere in the paragraph or select all the paragraphs you want to adjust. Then do either of the following:
 - On the ruler, drag the **Right Indent** marker to the ruler measurement at which you want to set the maximum right edge of the paragraph.
 - Open the **Paragraph** dialog box. Then, on the **Indents and Spacing** tab, in the **Indentation** area, set the right indent in the **Right** box, and then select **OK**.



TIP Unless the paragraph alignment is justified, the right edge of the paragraph will be ragged, but no line will extend beyond the right indent or outdent.

Configure paragraph borders and shading


To make a paragraph really stand out, you might want to put a border around it or shade its background. (For real drama, you can do both.) You can select a predefined border from the Borders menu or design a custom border in the Borders And Shading dialog box.



You can customize many aspects of the border

After you select the style, color, width, and location of the border, you can select Options to specify its distance from the text.

You can align lines of text in different locations across the page by using tab stops. The easiest way to set tab stops is directly on the horizontal ruler. By default, Word sets left-aligned tab stops every half inch (1.27 centimeters). These default tab stops aren't shown on the ruler. To set a custom tab stop, start by selecting the Tab button (located at the intersection of the vertical and horizontal rulers) until the type of tab stop you want appears.




The tab settings

You have the following tab options:

- **Left tab** Aligns the left end of the text with the tab stop.
- **Center tab** Aligns the center of the text with the tab stop.
- **Right tab** Aligns the right end of the text with the tab stop.
- **Decimal tab** Aligns the decimal point in the text (usually a numeric value) with the tab stop.
- **Bar tab** Draws a vertical line at the position of the tab stop.

If you find it too difficult to position tab stops on the ruler, you can set, clear, align, and format tab stops from the Tabs dialog box.



You can specify the alignment and tab leader for each tab

You might also work from this dialog box if you want to use tab leaders—visible marks such as dots or dashes connecting the text before the tab with the text after it. For example, tab leaders are useful in a table of contents to carry the eye from the text to the page number.

When you insert tab characters, the text to the right of the tab character aligns on the tab stop according to its type. For example, if you set a center tab stop, pressing the Tab key moves the text so that its center is aligned with the tab stop.

To display or hide paragraph marks and other structural characters

- On the **Home** tab, in the **Paragraph** group, select the **Show/Hide ¶** button.
- Press **Ctrl+Shift+8 (Ctrl+*)**.

To insert a line break

- Position the cursor where you want to break the line. Then do either of the following:
 - On the **Layout** tab, in the **Page Setup** group, select **Breaks** and then **Text Wrapping**.
 - Press **Shift+Enter**.

To insert a tab character

- Position the cursor where you want to add the tab character, and then press the **Tab** key.

To open the Tabs dialog box

1. Select any portion of one or more paragraphs that you want to manage tab stops for.
2. Open the **Paragraph** dialog box.
3. In the lower-left corner of the **Indents and Spacing** tab, select the **Tabs** button.

To align a tab and set a tab stop

1. Select any portion of one or more paragraphs that you want to set the tab stop for.
2. Display the ruler, if it isn't shown, by selecting the **Ruler** check box in the **Show** group on the **View** tab.

3. Select the **Tab** button at the left end of the ruler to cycle through the tab stop alignments, in this order:
 - Left
 - Center
 - Right
 - Decimal
 - Bar
4. When the **Tab** button shows the alignment you want, select the ruler at the point where you want to set the tab.



TIP When you manually align a tab and set a tab stop, Word removes any default tab stops to the left of the one you set. (It doesn't remove any manually set tab stops.)

Or

1. Open the **Tabs** dialog box.
2. In the **Tab stop position** box, enter the position for the new tab stop.
3. In the **Alignment** and **Leader** areas, set the options you want for this tab stop.
4. Select **Set** to set the tab, and then select **OK**.

To change the position of an existing custom tab stop

- Drag the tab marker on the ruler to the left or right.
- Open the **Tabs** dialog box. In the **Tab stop position** list, select the tab stop you want to change. Select the **Clear** button to clear the existing tab stop. Enter the replacement tab stop position in the **Tab stop position** box, select **Set**, and then select **OK**.

To remove a custom tab stop

- Drag the tab marker away from the ruler.
- In the **Tabs** dialog box, select the custom tab stop in the **Tab stop position** list, select **Clear**, and then select **OK**.

Apply character formatting

The appearance of your document helps convey not only the document's message but also information about the document's creator: you. A neatly organized document that contains consistently formatted content and appropriate graphic elements, and that doesn't contain spelling or grammatical errors, invokes greater confidence in your ability to provide any product or service.

Earlier in this chapter, you learned about methods of applying formatting to paragraphs. This topic covers methods of formatting the text of a document. Formatting that you apply to text is referred to as *character formatting*.

In Word documents, you can apply three types of character formatting:

- Individual character formats including font, font size, font color, bold, italic, underline, strikethrough, subscript, superscript, and highlight color
- Artistic text effects that incorporate character outline and fill colors
- Preformatted styles associated with the document template, many of which not only affect the appearance of the text but also convey structural information (such as titles and headings)

When you enter text in a document, it is displayed in a specific font. By default, the font used for text in a new blank document is 11-point Calibri. However, you can change the font of any text element at any time. The available fonts vary from one computer to another, depending on the apps installed. Common fonts include Arial, Verdana, and Times New Roman.

You can vary the look of a font by changing the following attributes:


- **Size** Almost every font has a range of sizes you can select from. (Sometimes you can set additional sizes beyond those listed.) The font size is measured in points, from the top of the ascenders (the letter parts that go up, like the left line of the letter *h*) to the bottom of the descenders (the letter parts that drop down, like the left line of the letter *p*). A point is approximately 1/72 of an inch (about 0.04 centimeters).

- **Style** Almost every font has a range of font styles. The most common are regular (or plain), italic, bold, and bold italic.
- **Effects** Fonts can be enhanced by applying effects, such as underlining, small capital letters (small caps), or shadows.
- **Character spacing** You can alter the spacing between characters by pushing them apart or squeezing them together.

Although some attributes might cancel each other out, they are usually cumulative. For example, you might use a bold font style in various sizes and colors to make words stand out in a newsletter.

You apply character formatting from one of three locations:

- **Mini Toolbar** Several common formatting buttons are available on the Mini Toolbar that appears temporarily when you select text.




The Mini Toolbar appears temporarily when you select text, becomes transparent when you move the pointer away from the selected text, and disappears if not used

- **Font group on the Home tab** This group includes buttons for changing the font and most of the font attributes you are likely to use.



The most common font formatting commands are available on the Home tab

- **Font dialog box** Less commonly applied attributes such as small caps and special underlining are available from the Font dialog box.



Font attributes that aren't available on the Home tab can be set in the Font dialog box

In addition to applying character formatting to change the look of characters, you can apply predefined text effects (sometimes referred to as *WordArt*) to a selection to add more zing. The available effects match the current theme colors.



You can apply any predefined effect in the gallery or define a custom effect

These effects are somewhat dramatic, so you'll probably want to restrict their use to document titles and similar elements to which you want to draw particular attention.

To change the font of selected text

- On the **Mini Toolbar** or in the **Font** group on the **Home** tab, in the **Font** list, select the font you want to apply.

To change the font size of selected text

- Do any of the following on the **Mini Toolbar** or in the **Font** group on the **Home** tab:
 - In the **Font Size** list, select the font size you want to apply.
 - In the **Font Size** box, enter the font size you want to apply (even a size that doesn't appear in the list). Then press the **Enter** key.
 - To increase the font size in set increments, select the **Increase Font Size** button or press **Ctrl+>**.
 - To decrease the font size in set increments, select the **Decrease Font Size** button or press **Ctrl+<**.

To format selected text as bold, italic, or underlined

- On the **Mini Toolbar**, select the **Bold**, **Italic**, or **Underline** button.
- On the **Home** tab, in the **Font** group, select the **Bold**, **Italic**, or **Underline** button.
- Press **Ctrl+B** to format the text as bold.
- Press **Ctrl+I** to format the text as italic.
- Press **Ctrl+U** to underline the text.



TIP To quickly apply a different underline style to selected text, select the arrow next to the **Underline** button on the **Home** tab, and then in the list, select the underline style you want to apply.

To cross out selected text by drawing a line through it

- On the **Home** tab, in the **Font** group, select the **Strikethrough** button.

To display superscript or subscript characters

1. Select the characters you want to display in superscript or subscript form.
2. On the **Home** tab, in the **Font** group, do either of the following:
 - Select the **Subscript** button to decrease the size of the selected characters and shift them to the bottom of the line.
 - Select the **Superscript** button to decrease the size of the selected characters and shift them to the top of the line.

To apply artistic effects to selected text

- On the **Home** tab, in the **Font** group, select the **Text Effects and Typography** button, and then do either of the following:
 - In the **Text Effects and Typography** gallery, select the preformatted effect combination that you want to apply.
 - On the **Text Effects and Typography** menu, select **Outline, Shadow, Reflection, Glow, Number Styles, Ligatures, or Stylistic Sets**. Then make selections on the submenus to apply and modify those effects.

To change the font color of selected text

1. On the **Home** tab, in the **Font** group, select the **Font Color** arrow to display the **Font Color** menu.
2. In the **Theme Colors** or **Standard Colors** palette, select a color swatch to apply that color to the selected text.



TIP To apply the Font Color button's current color, you can simply select the button (not its arrow). If you want to apply a color that is not shown in the Theme Colors or Standard Colors palette, select More Colors. In the Colors dialog box, select the color you want in the honeycomb on the Standard page, select the color gradient, or enter values for a color on the Custom page.

To change the case of selected text

- On the **Home** tab, in the **Font** group, select the **Change Case** button and then select **Sentence case**, **lowercase**, **UPPERCASE**, **Capitalize Each Word**, or **tOGGLE cASE**.
- Press **Shift+F3** repeatedly to cycle through the standard case options (Sentence case, UPPERCASE, lowercase, and Capitalize Each Word).



IMPORTANT The case options vary based on the selected text. If the selection ends in a period, Word does not include the Capitalize Each Word option in the rotation. If the selection does not end in a period, Word does not include Sentence case in the rotation.

To highlight text

- Select the text you want to highlight, and then do either of the following:
 - On the **Mini Toolbar** or in the **Font** group on the **Home** tab, select the **Text Highlight Color** button to apply the default highlight color.
 - On the **Mini Toolbar** or in the **Font** group on the **Home** tab, select the **Text Highlight Color** arrow, and then select a color swatch to apply the selected highlight color and change the default highlight color.

Or

1. Without first selecting text, do either of the following:
 - Select the **Text Highlight Color** button to select the default highlight color.
 - Select the **Text Highlight Color** arrow and then select a color swatch to select that highlight color.
2. When the pointer changes to a highlighter, drag it across one or more sections of text to apply the highlight.
3. Select the **Text Highlight Color** button or press the **Esc** key to deactivate the highlighter.

To copy formatting to other text

1. Select anywhere in the text that has the formatting you want to copy.
2. On the **Home** tab, in the **Clipboard** group, do either of the following:
 - If you want to apply the formatting to only one target, select **Format Painter** once.
 - If you want to apply the formatting to multiple targets, double-click **Format Painter**.
3. When the pointer changes to a paintbrush, select or drag across the text you want to apply the copied formatting to.
4. If you activated the Format Painter for multiple targets, repeat step 3 until you finish applying the formatting. Then select the **Format Painter** button once or press the **Esc** key to deactivate the tool.

To repeat the previous formatting command

- Select the text to which you want to apply the repeated formatting. Then do either of the following to repeat the previous formatting command:
 - On the **Quick Access Toolbar**, select the **Repeat** button.
 - Press **Ctrl+Y**.

To open the Font dialog box

- On the **Home** tab, in the **Font** group, select the **Font** dialog box launcher.
- Press **Ctrl+Shift+F**.

To remove character formatting

- Select the text you want to clear the formatting from. Then do any of the following:
 - Press **Ctrl+Spacebar** to remove manually applied formatting (but not styles).
 - On the **Home** tab, in the **Font** group, select the **Clear All Formatting** button to remove all styles and formatting other than highlighting from selected text.



IMPORTANT If you have selected an entire paragraph, selecting Clear All Formatting will clear character and paragraph formatting from the paragraph and reset it to the default paragraph style.

- On the **Home** tab, in the **Font** group, select the **Text Highlight Color** arrow and then, on the menu, select **No Color** to remove highlighting.

To change the character spacing

1. Select the text you want to change.
2. Open the **Font** dialog box, and then select the **Advanced** tab to display character spacing and typographic features.
3. In the **Spacing** list, select **Expanded** or **Condensed**.
4. In the adjacent **By** box, set the number of points you want to expand or condense the character spacing.
5. In the **Font** dialog box, select **OK**.

Character formatting and case considerations

The way you use character formatting in a document can influence the document's visual impact on your readers. Used judiciously, character formatting can make a plain document look attractive and professional, but excessive use can make it look amateurish and detract from the message. For example, using too many fonts in the same document is a mark of inexperience, so don't use more than two or three.

Bear in mind that lowercase letters tend to recede, so using all uppercase (capital) letters can be useful for titles and headings or for certain kinds of emphasis. However, large blocks of uppercase letters are tiring to the eye.

TIP Where do the terms *uppercase* and *lowercase* come from? Until the advent of computers, individual characters made of lead were assembled to form the words that would appear on a printed page. The characters were stored alphabetically in cases, with the capital letters in the upper case and the small letters in the lower case.

Format the first letter of a paragraph as a drop cap

Many books, magazines, and reports begin the first paragraph of a section or chapter by using an enlarged, decorative capital letter. Called a dropped capital, or simply a *drop cap*, this effect can be an easy way to give a document a finished, professional look. When you format a paragraph to start with a drop cap, Word inserts the first letter of the paragraph in a text box and formats its height and font in accordance with the Drop Cap options.

With the Room Planner, you'll never make a design mistake again. Created by acclaimed interior designers to simplify the redecorating process, this planning tool incorporates elements of color, dimension, and style to guide your project. It includes a furniture location guide; room grid; drawing tools; and miniature furniture, rugs, accessories, and color swatches that match our large in-store selection. Here's how to use the planner to create the room of your dreams!

By default, a drop-cap letter is the height of three lines of text

Word 2019 has two basic drop-cap styles:

- **Dropped** The letter is embedded in the original paragraph.
- **In margin** The letter occupies its own column, and the remaining paragraph text is moved to the right.

To format the first letter of a paragraph as a drop cap:

1. Click anywhere in the paragraph.
2. On the **Insert** tab, in the **Text** group, select the **Add a Drop Cap** button and then select the drop-cap style you want to apply.

To change the font, height, or distance between the drop cap and the paragraph text, select Drop Cap Options on the Drop Cap menu, and then select the options you want in the Drop Cap dialog box.

If you want to apply the drop-cap format to more than the first letter of the paragraph, add the drop cap to the paragraph, click to the right of the letter in the text box, and enter the rest of the word or text that you want to make stand out. If you do this, don't forget to delete the word from the beginning of the paragraph!

Create and modify lists

Lists are paragraphs that start with a character—usually a number or bullet—and are formatted with a hanging indent so the character stands out on the left end of each list item. Fortunately, Word takes care of the formatting of lists for you. You simply indicate the type of list you want to create.

When the order of items is not important—for example, for a list of people or supplies—a bulleted list is the best choice. When the order is important—for example, for the steps in a procedure—you should create a numbered list.

4

You can format an existing set of paragraphs as a list or create the list as you enter text into the document. After you create a list, you can modify, format, and customize the list as follows:

- You can move items around in a list, insert new items, or delete unwanted items. If the list is numbered, Word automatically updates the numbers.
- You can modify the indentation of the list. You can change both the overall indentation of the list and the relationship of the first line to the other lines.
- For a bulleted list, you can sort list items alphabetically in ascending or descending order, change the bullet symbol, or define a custom bullet (even a picture bullet).
- For a numbered list, you can change the number style to use different punctuation, roman numerals, or letters, or define a custom style, and you can specify the starting number.

To format a new bulleted or numbered list as you enter content

- With the cursor at the position in the document where you want to start the list, do either of the following:
 - To start a new bulleted list, enter * (an asterisk) at the beginning of a paragraph, and then press the **Spacebar** or the **Tab** key before entering the list item text.
 - To start a new numbered list, enter 1. (the number 1 followed by a period) at the beginning of a paragraph, and then press the **Spacebar** or the **Tab** key before entering the list item text.

When you start a list in this fashion, Word automatically formats the text as a bulleted or numbered list.

When you press Enter to start a new item, Word continues the formatting to the new paragraph. Typing text and pressing Enter adds subsequent bulleted or numbered items. To end the list, press Enter twice; or select the Bullets arrow or Numbering arrow in the Paragraph group on the Home tab, and then in the gallery, select None.



TIP If you want to start a paragraph with an asterisk or number but don't want to format the paragraph as a bulleted or numbered list, select the AutoCorrect Options button that appears after Word changes the formatting, and then in the list, select the appropriate Undo option. You can also select the Undo button on the Quick Access Toolbar or press Ctrl+Z.

To convert paragraphs to bulleted or numbered list items

1. Select the paragraphs that you want to convert to list items.
2. On the **Home** tab, in the **Paragraph** group, do either of the following:
 - Select the **Bullets** button to convert the selection to a bulleted list.
 - Select the **Numbering** button to convert the selection to a numbered list.

To create a list with multiple levels

1. Start creating a bulleted or numbered list.
2. When you want the next list item to be at a different level, do either of the following:
 - To create the next item one level lower (indented more), press the **Tab** key at the beginning of that paragraph before you enter the lower-level list item text.
 - To create the next item one level higher (indented less), press **Shift+Tab** at the beginning of the paragraph before you enter the higher-level list item text.

In the case of a bulleted list, Word changes the bullet character for each item level. In the case of a numbered list, Word changes the type of numbering used, based on a predefined numbering scheme.



TIP For a multilevel list, you can change the numbering pattern or bullets by selecting the Multilevel List button in the Paragraph group on the Home tab and then selecting the pattern you want, or you can define a custom pattern by selecting Define New Multilevel List.

To modify the indentation of a list

- Select the list items whose indentation you want to change, and do any of the following:
 - On the **Home** tab, in the **Paragraph** group, select the **Increase Indent** button to move the list items to the right.
 - In the **Paragraph** group, select the **Decrease Indent** button to move the list items to the left.
 - Display the ruler and drag the indent markers to the left or right.



TIP You can adjust the space between the bullets and their text by dragging only the Hanging Indent marker.



SEE ALSO For information about paragraph indentation, see “Apply paragraph formatting” earlier in this chapter.

To sort bulleted list items alphabetically

1. Select the bulleted list items whose sort order you want to change.
2. On the **Home** tab, in the **Paragraph** group, select the **Sort** button to open the Sort Text dialog box.
3. In the **Sort by** area, select **Ascending** or **Descending**. Then select **OK**.

To change the bullet symbol

1. Select the bulleted list whose bullet symbol you want to change.
2. On the **Home** tab, in the **Paragraph** group, select the **Bullets** arrow.
3. In the **Bullets** gallery, select the new symbol you want to use to replace the bullet character that begins each item in the selected list.

To define a custom bullet

1. In the **Bullets** gallery, select **Define New Bullet**.
2. In the **Define New Bullet** dialog box, select the **Symbol**, **Picture**, or **Font** button, and then select from the wide range of options.
3. Select **OK** to apply the new bullet style to the list.

To change the number style


1. Select the numbered list whose number style you want to change.
2. On the **Home** tab, in the **Paragraph** group, select the **Numbering** arrow to display the Numbering gallery.
3. Make a new selection to change the style of the number that begins each item in the selected list.

To define a custom number style

1. In the **Numbering** gallery, select **Define New Number Format**.
2. In the **Define New Number Format** dialog box, do either of the following:
 - Change the selections in the **Number Style**, **Number Format**, or **Alignment** boxes.
 - Select the **Font** button and then select from the wide range of options.
3. Select **OK** to apply the new numbering style to the list.

To start a list or part of a list at a predefined number

1. Place the cursor within an existing list, in the list paragraph whose number you want to set.
2. Display the **Numbering** gallery, and then select **Set Numbering Value** to open the Set Numbering Value dialog box.
3. Do either of the following to permit custom numbering:
 - Select **Start new list**.
 - Select **Continue from previous list**, and then select the **Advance value (skip numbers)** check box.
4. In the **Set value to** box, enter the number you want to assign to the list item. Then select **OK**.




You can start or restart a numbered list at any number

Format text as you type

The Word list capabilities are only one example of the app's ability to intuit how you want to format an element based on what you type. You can learn more about these and other AutoFormatting options by exploring the AutoCorrect dialog box, which you can open from the Proofing page of the Word Options dialog box.

The AutoFormat As You Type page shows the options Word implements by default, including bulleted and numbered lists.



You can select and clear options to control automatic formatting behavior

One interesting option in this dialog box is Border Lines. When this check box is selected, typing three consecutive hyphens (---) or three consecutive underscores (___) and pressing Enter draws a single line across the page. Typing three consecutive equal signs (===) and pressing Enter draws a double line. Typing three consecutive tildes (~~~) and pressing Enter draws a zigzag line.

Apply built-in styles to text

You don't have to know much about character and paragraph formatting to format your documents in ways that will make them easier to read and more professional looking. With a couple of mouse clicks or screen taps, you can easily change the look of words, phrases, and paragraphs by using styles. More importantly, you can build a document outline that is reflected in the Navigation pane and use it to create a table of contents.




SEE ALSO For information about tables of contents, see “Create and modify tables of contents” in Chapter 13, “Reference content and content sources.”

Apply styles

Styles can include character formatting (such as font, size, and color), paragraph formatting (such as line spacing and outline level), or a combination of both. Styles are stored in the template that is attached to a document.

By default, blank new documents are based on the Normal template. The Normal template includes a standard selection of styles that fit the basic needs of most documents. These styles include nine heading levels, various text styles including those for multiple levels of bulleted and numbered lists, index and table of contents entry styles, and many specialized styles such as those for hyperlinks, quotations, placeholders, captions, and other elements.

By default, most common predefined styles are available in the Styles gallery on the Home tab. You can add styles to the gallery or remove those that you don't often use.




The Styles gallery in a new, blank document based on the Normal template

Styles stored in a template are usually based on the Normal style and use only the default body and heading fonts associated with the document's theme, so they all go together well. For this reason, formatting document content by using styles produces a harmonious effect. After you apply named styles, you can easily change the look of an entire document by switching to a different style set that contains styles with the same names but different formatting.



SEE ALSO For information about document theme elements, see “Change the document theme,” later in this chapter.

Style sets are available from the Document Formatting gallery on the Design tab.




Pointing to a style set in the gallery displays a live preview of the effects of applying that style set to the entire document



TIP Style sets provide a quick and easy way to change the look of an existing document. You can also modify style definitions by changing the template on which the document is based. For more information about styles and templates, see “Create and modify styles” and “Create and attach templates” in Chapter 15, “Create custom document elements.”

To open the Styles pane

- On the **Home** tab, select the **Styles** dialog box launcher.




The Styles pane can display style names and previews



TIP If the Styles pane floats above the page, you can drag it by its title bar to the right or left edge of the app window to dock it.

To change which styles are displayed in the Styles pane

1. Open the **Styles** pane, and then select **Options**.



To make it easier to find specific styles, sort the list alphabetically

2. In the **Style Pane Options** dialog box, do any of the following, and then select **OK**:
 - In the **Select styles to show** list, select one of the following:
 - **Recommended** Displays styles that are tagged in the template as recommended for use
 - **In use** Displays styles that are applied to content in the current document
 - **In current document** Displays styles that are in the template that is attached to the current document
 - **All styles** Displays built-in styles, styles that are in the attached template, and styles that were brought into the document from other templates
 - In the **Select how list is sorted** list, select **Alphabetical**, **As Recommended**, **Font**, **Based on**, or **By type**.
 - In the **Select formatting to show as styles** area, select each check box for which you want to display variations from named styles.
 - In the **Select how built-in style names are shown** area, select the check box for each option you want to turn on.

To display or hide style previews in the Styles pane

- Open the **Styles** pane, and then select or clear the **Show Preview** check box.

To add a style to the Styles gallery

- In the **Styles** pane, point to the style, select the arrow that appears, and then select **Add to Style Gallery**.

To remove a style from the Styles gallery

- In the **Styles** pane, point to the style, select the arrow that appears, and then select **Remove from Style Gallery**.
- In the **Styles** gallery, right-click the style, and then select **Remove from Style Gallery**.

To apply a built-in style

1. Select the text or paragraph to which you want to apply the style.



TIP If the style you want to apply is a paragraph style, you can position the cursor anywhere in the paragraph. If the style you want to apply is a character style, you must select the text.


2. In the **Styles** gallery on the **Home** tab, or in the **Styles** pane, select the style you want to apply.

To change the style set

1. On the **Design** tab, in the **Document Formatting** group, select the **More** button to display all the style sets (if necessary).
2. Point to any style set to preview its effect on the document.
3. Select the style set you want to apply.

Manage outline levels


Styles can be used for multiple purposes: to affect the appearance of the content, to build a document outline, and to tag content as a certain type so that you can easily locate it.



4

Heading styles define a document's outline

Each paragraph style has an associated Outline Level setting. Outline levels include Body Text and Level 1 through Level 9. Most documents use only body text and the first three or four outline levels.



Most documents use only two to four of the outline levels

Paragraphs that have the Level 1 through Level 9 outline levels become part of the hierarchical structure of the document. They appear as headings in the Navigation pane and act as handles for the content that appears below them in the hierarchy. You can collapse and expand the content below each heading, and move entire sections of content by dragging the headings in the Navigation pane.

To display the document outline in the Navigation pane

- In the **Navigation** pane, select **Headings** to display the document structure.



TIP Only headings that are styled with the document heading styles appear in the Navigation pane.

To expand or collapse the outline in the Navigation pane

- In the **Navigation** pane, do either of the following:
 - If there is a white triangle to the left of a heading, select it to expand that heading to show its subheadings.
 - If there is a downward-angled black triangle to the left of a heading, select it to collapse the subheadings under that heading.




TIP If there is no triangle next to a heading, that heading does not have subheadings.

To expand or collapse sections in the document

- In a document that contains styles, point to a heading to display a triangle to its left. Then do either of the following:
 - If the triangle is a downward-angled gray triangle, select the triangle to hide the content that follows the heading.
 - If the triangle is a white triangle, select the triangle to display the hidden document content.

Change the document theme

Every document you create is based on a template, and the look of the template is controlled by a theme. The theme is a combination of coordinated colors, fonts, and effects that visually convey a certain tone. To change the look of a document, you can apply a different theme from the Themes gallery.




The default installation of Word 2019 offers 34 themes to choose from

Each theme has a built-in font set and color set, and an associated effect style.

- Each font set includes two font definitions: one for headings and one for body text. In some font sets, the heading and body fonts are the same.
- Each color in a color set has a specific role in the formatting of styled elements. For example, the first color in each set is applied to the Title and Intense Reference styles, and different shades of the third color are applied to the Subtitle, Heading 1, and Heading 2 styles.

If you like the background elements of a theme but not the colors or fonts, you can mix and match theme elements.



Word 2019 offers thousands of different combinations for creating a custom theme that meets your exact needs



SEE ALSO For information about creating custom themes, see “Create and manage custom themes” in Chapter 15, “Create custom document elements.”



TIP In addition to colors and fonts, you can control the subtler design elements associated with a theme, such as paragraph spacing and visual effects.

If you create a combination of theme elements that you would like to use with other documents, you can save the combination as a new theme. By saving the theme in the default Document Themes folder, you make the theme available in the Themes gallery. However, you don't have to store custom themes in the Document Themes folder; you can store them anywhere on your hard disk, on removable media, or in a network location.



TIP The default Document Themes folder is stored within your user profile. On a default freestanding installation, the folder is located at C:\Users*<user name>*\AppData\Roaming\Microsoft\Templates\Document Themes. In a corporate environment with managed computer configurations, the user profile folder might be located elsewhere.

By default, Word applies the Office theme to all new, blank documents. In Word 2019, the Office theme uses a primarily blue palette, the Calibri font for body text, and Calibri Light for headings. If you plan to frequently use a theme other than the Office theme, you can make that the default theme.



TIP If multiple people create corporate documents for your company, you can ensure that everyone's documents have a common look and feel by assembling a custom theme and making it available to everyone. Use theme elements that reflect your corporate colors, fonts, and visual style, and then save the theme to a central location or send the theme file by email and instruct your colleagues to save it to the default Document Themes folder.

To apply a built-in theme to a document

- On the **Design** tab, in the **Document Formatting** group, select the **Themes** button, and then select the theme you want to apply.



TIP If you have manually applied formatting to document content, the theme does not override the manual formatting. To ensure that all document elements are controlled by the theme, select **Reset To The Default Style Set** on the Document Formatting menu.

To change theme elements in a document

- On the **Design** tab, in the **Document Formatting** group, do any of the following:
 - Select **Colors** (the ScreenTip says *Theme Colors*), and then select the color set you want to apply.
 - Select **Fonts** (the ScreenTip says *Theme Fonts*), and then select the font set you want to apply.
 - Select **Effects** (the ScreenTip says *Theme Effects*), and then select the effect style you want to apply.

To save a custom theme

1. Apply a base theme, and then modify the theme colors, fonts, and effects as you want them.
2. On the **Design** tab, in the **Document Formatting** group, select **Themes**.
3. At the bottom of the **Themes** menu, select **Save Current Theme** to display the contents of the Document Themes folder in the **Save Current Theme** dialog box.
4. Accept the theme name that is in the **File name** box or replace the suggested name with one that's more descriptive. Then select **Save**.

To apply a custom theme

1. Display the **Themes** menu. If you have created a custom theme, the Themes menu now includes a Custom area that contains your theme.
2. Select the theme to apply it to the document.

To change the default theme

1. In the document, apply the theme you want to use as the default theme.
2. On the **Design** tab, in the **Document Formatting** group, select **Set as Default**.

To apply a theme from a nonstandard location

1. On the **Design** tab, in the **Document Formatting** group, select **Themes**.
2. At the bottom of the **Themes** menu, select **Browse for Themes**.
3. In the **Choose Theme or Themed Document** dialog box, browse to the theme you want to apply, and then select **Open**.

To find the location of your Document Themes folder

1. On the **Design** tab, in the **Document Formatting** group, select **Themes**.
2. At the bottom of the **Themes** menu, select **Save Current Theme**.
3. In the **Save Current Theme** dialog box, select the icon at the left end of the address bar to display the full path to the Document Themes folder.

To delete a custom theme

- Open File Explorer, browse to the **Document Themes** folder, and delete the theme file.
- In Word, display the **Themes** menu, right-click the custom theme, and then select **Delete**.

Note that the second method removes the theme choice from the gallery but does not remove the theme file from the Document Themes folder.

Key points

- You can format many aspects of a paragraph, including its indentation, alignment, internal line spacing, preceding and following space, border, and background. Within a paragraph, you can control the content structure by using hidden line breaks and tabs, and the appearance of the content by changing the size, color, style, effects, and spacing of the text.
- You can apply paragraph and character formatting manually, or you can format multiple elements of a paragraph, and control the outline level of the content, by using styles.
- You can change the formatting applied by all the styles within a document by changing the document theme or any individual element of the theme, such as the theme colors, theme fonts, or theme effects.
- To make a set of items or instructions stand out from the surrounding text, you can format it as an ordered (numbered) or unordered (bulleted) list.



Practice tasks

Before you can complete these tasks, you need to copy the book's practice files to your computer. The practice files for these tasks are in the **Word2019SBS\Ch04** folder. You can save the results of the tasks in the same folder.

The introduction includes a complete list of practice files and download instructions.

Apply paragraph formatting

Open the **FormatParagraphs** document, display formatting marks, and then perform the following tasks:

1. Display the rulers and adjust the zoom level to display most or all of the paragraphs in the document.
2. Select the first two paragraphs (*Welcome!* and the next paragraph) and center them between the margins.
3. Select the second paragraph (*We would like...*) and apply a first-line indent.
4. Select the third paragraph (*Please take a few...*). Format the paragraph so its edges are flush against the left and right margins. Then indent the paragraph by a half inch on the left and on the right.
5. Indent the *Be careful* paragraph by 0.25 inches.
6. Simultaneously select the *Pillows*, *Blankets*, *Towels*, *Limousine winery tour*, and *In-home massage* paragraphs. Change the paragraph spacing to remove the space after the paragraphs.
7. At the top of the document, apply an outside border to the *Please take a few minutes* paragraph.
8. Save and close the document.

Structure content manually

Open the **StructureContent** document, display formatting marks, and then perform the following tasks:

1. Display the rulers and adjust the zoom level to display most or all of the paragraphs in the document.
2. In the second paragraph (*We would like...*), insert a line break immediately after the comma and space that follow the word *cottage*.
3. Select the *Pillows*, *Blankets*, *Towels*, and *Dish towels* paragraphs. Insert a left tab stop at the 2-inch mark and clear any tab stops to the left of that location.
4. In the *Pillows* paragraph, replace the space before the word *There* with a tab marker. Repeat the process to insert tabs in each of the next three paragraphs. The part of each paragraph that follows the colon is now aligned at the 2-inch mark, producing more space than you need.
5. Select the four paragraphs containing tabs. Change the left tab stop from the 2-inch mark to the 1.25-inch mark. Then, on the ruler, drag the **Hanging Indent** marker to the tab stop at the 1.25-inch mark (the Left Indent marker moves with it) to cause the second line of the paragraphs to start in the same location as the first line. Finally, press the **Home** key to release the selection so you can review the results.
6. At the bottom of the document, select the three paragraphs containing dollar amounts. Set a **Decimal Tab** stop at the 3-inch mark. Then replace the space to the left of each dollar sign with a tab to align the prices on the decimal points.
7. Hide the formatting marks to better display the results of your work.
8. Save and close the document.

Apply character formatting

Open the **FormatCharacters** document, and then perform the following tasks:

1. In the second bullet point, underline the word *natural*. Then repeat the formatting command to underline the word *all* in the fourth bullet point.
2. In the fourth bullet point, select anywhere in the word *across*. Apply a thick underline to the word in a way that also assigns the **Thick underline** format to the **Underline** button. Then apply the thick underline to the word *departments*.

3. Select the *Employee Orientation* heading, and apply bold formatting to the heading.
4. Copy the formatting, and then paint it onto the *Guidelines* subtitle, to make the subtitle a heading.
5. Select the *Guidelines* heading, and apply the following formatting:
 - Change the font to **Impact**.
 - Set the font size to **20** points.
 - Apply the **Small caps** font effect.
 - Expand the character spacing by **10** points.
6. Change the font color of the words *Employee Orientation* to **Green, Accent 6**.
7. Select the *Community Service Committee* heading, and apply the following formatting:
 - Outline the letters in the same color you applied to *Employee Orientation*.
 - Apply an **Offset Diagonal Bottom Left** outer shadow. Change the shadow color to **Green, Accent 6, Darker 50%**.
 - Fill the letters with the **Green, Accent 6** color, and then change the text outline to **Green, Accent 6, Darker 25%**.

You have now applied three text effects to the selected text by using three shades of the same green.

8. In the first bullet point, select the phrase *the concept of service* and apply a **Bright Green** highlight.
9. In the fifth bullet point, simultaneously select the words *brainstorming*, *planning*, and *leadership*, and change the case of all the letters to uppercase.
10. Save and close the document.

Create and modify lists

Open the **CreateLists** document, display formatting marks and rulers, and then perform the following tasks:

1. Select the first four paragraphs below *The rules fall into four categories*. Format the selected paragraphs as a bulleted list. Then change the bullet character for the four list items to the one composed of four diamonds.

2. Select the two paragraphs below the *Definitions* heading. Format the selected paragraphs as a numbered list.
3. Select the first four paragraphs below the *General Rules* heading. Format the paragraphs as a second numbered list. Ensure that the new list starts with the number 1.
4. Format the next three paragraphs as a bulleted list. (Notice that Word uses the bullet symbol you specified earlier.) Indent the bulleted list as a subset of the preceding numbered list item.
5. Format the remaining three paragraphs as a numbered list. Ensure that the list numbering continues from the previous numbered list.
6. Locate the *No large dogs* numbered list item. Create a new second-level numbered list item (a) from the text that begins with the word *Seeing*. Then create a second item (b) and enter **The Board reserves the right to make exceptions to this rule.**
7. Create a third list item (c). Promote the new list item to a first-level item, and enter **All pets must reside within their Owners' Apartments.** Notice that the *General Rules* list is now organized hierarchically.
8. Sort the three bulleted list items in ascending alphabetical order.
9. Save and close the document.

Apply built-in styles to text

Open the **ApplyStyles** document in Print Layout view, and then perform the following tasks:

1. Scroll through the document to review its content. Notice that the document begins with a centered title and subtitle, and there are several headings throughout.
2. Open the **Navigation** pane. Notice that the Headings page of the pane does not reflect the headings in the document, because the headings are formatted with manually applied formatting instead of styles.
3. Open the **Styles** pane and dock it to the right edge of the app window.
4. Set the zoom level of the page to fit the page content between the Navigation pane and the Styles pane.
5. Apply the **Title** style to the document title, *All About Bamboo*.

6. Apply the **Subtitle** style to the *Information Sheet* paragraph.
7. Apply the **Heading 1** style to the first bold heading, *Moving to a New Home*. Notice that the heading appears in the Navigation pane.
8. Hide the content that follows the heading. Then redisplay it.
9. Apply the **Heading 1** style to *Staying Healthy*. Then repeat the formatting to apply the same style to *Keeping Bugs at Bay*.
10. Scroll the page so that both underlined headings are visible. Select the *Mites* and *Mealy Bugs* headings. Then simultaneously apply the **Heading 2** style to both selections.
11. Configure the **Styles** pane to display all styles, in alphabetical order.
12. Move to the beginning of the document.
13. In the first paragraph of the document, select the company name *Wide World Importers*, and apply the **Intense Reference** style.
14. In the second paragraph, near the end of the first sentence, select the word *clumping*, and apply the **Emphasis** style. Then, at the end of the sentence, apply the same style to the word *running*.
15. Close the **Navigation** pane and the **Styles** pane. Then configure the view setting to display both pages of the document in the window.
16. Apply the **Basic (Elegant)** style set to the document. Change the view to **Page Width** and notice the changes to the styled content.
17. Save and close the document.

Change the document theme

Open the **ChangeTheme** document, and then perform the following tasks:

1. Apply the **Facet** theme to the document.
2. Change the theme colors to the **Orange** color scheme.
3. Change the theme fonts to the **Georgia** theme set.
4. Save the modified theme in the default folder as a custom theme named **My Theme**. Verify that the custom theme is available on the **Themes** menu.
5. Save and close the document.

Index

Numbers

- 3D chart layout, rotating, 291
- 3D effects, applying to pictures, 207
- 3D models
 - inserting and modifying, 263–269, 272–273
 - magnifying, 268
 - motion patterns, 269
 - rotating, 268

A

- accessibility
 - designing for, 349
 - issues, 426–427
- Accessibility Checker, 423, 425
- Accessibility group, Format tool, 204
- accessible content, 625
- Account page, Backstage view, 22–23, 25
- account settings, displaying, 25
- actions
 - accessing and using, 622
 - undoing, 91
- add-ins
 - defined, 625
 - displaying and removing, 100
 - managing, 584–587, 598
- Adjust group, Format tool, 203
- advanced options, managing, 565–566
- aligning objects, 342, 345
- alignment, configuring, 115–116, 125–126, 178, 181
- All Markup view, 625
- alt text
 - defined, 625
 - pictures, 215–216, 240
 - tables, 178–179
 - videos, 212
- Alt+function key, 616
- Alt+Shift+function key, 616
- animated 3D models, 266
- antonyms, displaying, 103
- app settings, managing, 13, 565

- app window
 - elements, 6–7, 10–15
 - maximizing, 20
 - personalizing appearance, 24–25
- apps, availability, 8, 100
- Arrange All command, 59
- Arrange group, Format tool, 204
- arrows on buttons, 12
- artistic effects, applying, 132, 210
- aspect ratio, 625
- attribute, 625
- attribution, pictures, 213–215
- Author document, 451
- AutoCorrect feature, 141, 400, 404, 556–557, 625
- AutoFormat As You Type page, 141
- AutoRecover information, saving, 560
- AutoSave function
 - turning off, 561
 - using, 65
- AutoShape feature, 625
- AVERAGE function, 173
- axes, charts, 286, 288, 291

B

- background color, table element, 193.
 - See also* colors
- background watermark, inserting, 309–314, 327
- backgrounds
 - defined, 625
 - removing from pictures, 208–209
 - and themes, 24–25
- Backstage view
 - Account page, 22–23
 - Feedback page, 31
 - using, 10, 13
- balloons
 - defined, 625
 - displaying markup, 367
- bar chart, 277, 625
- bar tab, applying, 125
- bibliographies, compiling, 470–477, 482

bibliography

- bibliography, 625
- blog, 625
- BMP (bitmap) files, 200
- bold text, formatting, 131
- bookmarks
 - defined, 625
 - inserting, 444–449, 478
- Border Lines dialog box, 141
- borders, 189, 192, 625
- bpp (bits per pixel), 200
- brightness, adjusting for pictures, 210
- browsing options, documents, 50, 52
- building blocks
 - customizing, 538–541, 545
 - defined, 625
 - inserting, 329
 - using, 319–322
- bulleted lists
 - customizing, 139
 - formatting, 137–138
 - sorting, 139
- buttons
 - arrows, 12
 - sizes, 15, 18

C

- calculations, adding to table cells, 180–181
- Capitalize Each Word, 133
- caption, 625
- case of text
 - changing, 133
 - and character formatting, 135
- category axis, 625
- cell address, 625
- Cell tab, Table Properties, 178
- cells
 - addresses, 173
 - aligning text, 181
 - calculations, 180–181
 - defined, 625
 - inserting, 184
 - merging, 184
 - ranges, 173
 - selecting, 181
 - splitting, 185
- Center tab, 124–125
- character codes, inserting, 605

- character formatting
 - applying, 128–135, 155–156, 610
 - and case of text, 135
 - defined, 625
 - removing, 134
 - tables, 189
- character spacing, 135, 626. *See also* spacing
- character style, 626
- characters. *See also* fonts; hidden characters;
nonprinting characters
 - deleting, 91
 - moving to, 51
- chart area, 285, 291, 626
- chart elements
 - adding, 289–290
 - availability, 286–287
 - changing, 287
 - Format pane, 295
 - options, 288
 - repositioning, 291
- Chart Filters button, 279
- Chart Styles group, 292, 294
- chart title, 286, 288, 292
- charts. *See also* Excel worksheets
 - changing types, 280
 - changing worksheet areas, 284
 - colors, 292, 294
 - components, 285
 - creating, 280, 296–297
 - data labels, 286, 567
 - effects, 294
 - error bars, 286
 - features, 276–279
 - fill color, 294
 - filtering, 284
 - formatting, 291–295, 299
 - gridlines, 286
 - legend, 286–287
 - lines, 287
 - modifying, 298–299
 - Quick Layouts, 287–289
 - resizing, 290
 - selecting for editing, 282
 - templates, 281
 - trendline, 287
 - types, 277
 - up/down bars, 287
 - using colors, 284
 - WordArt styles, 294–295

- Chat button, 391
- chevron, 626
- citation, 626
- citing sources, 470–476
- clarity and conciseness issues, 403, 405–408, 410
- Click and Type, 626
- clip art, 626
- Clipboard
 - cutting and copying text, 87
 - defined, 626
 - pane, 90
 - pasting content, 88
 - using, 85
- closing documents, 61–72, 78
- cloud storage
 - connecting to, 26
 - information, 7
 - locations, 64
- coauthoring documents, 389–393, 626
- collaboration
 - configuring options, 554
 - defined, 626
 - tools, 14
- color theme, changing, 25
- colors. *See also* background color; font color; recoloring
 - applying to comments, 360–361
 - tracked changes, 363
 - using with charts, 284, 292, 294
- column breaks
 - defined, 626
 - inserting, 162, 167
- column chart, 277, 626
- Column tab, Table Properties, 178
- column widths, changing, 163
- columnar text, formatting, 162
- columns. *See also* tabbed lists
 - breaking manually, 165
 - changing indentation, 167
 - defined, 626
 - formatting, 192, 194
 - formatting in tables, 178
 - hyphenating content, 166
 - indenting text, 164
 - inserting vertical lines between, 163
 - justifying paragraphs, 162
 - justifying text, 166
 - laying out text, 165
 - resizing, 166, 182
 - selecting in tables, 182
 - tables, 179
 - white space within lines, 164
- Columns dialog box, opening, 161
- combining documents, 373–378
- combo chart, 277
- commands
 - Backstage view, 13
 - in lists, 16
- comments. *See also* markup; tracked changes
 - activating for editing, 370
 - applying colors, 360–361
 - defined, 626
 - deleting, 371
 - inserting, 358–361
 - moving among, 370
 - resolving, 371
 - responding, 370
 - reviewing and responding, 369–371
- comparing documents, 373–378
- Compatibility Checker, 423, 425
- [*Compatibility Mode*], Word versions, 71
- Compatibility Options, Advanced page, 572
- Compress Pictures dialog box, 211
- content, structuring manually, 155
- content changes, controlling, 378–389
- contextual tab, 626
- Continuous section break, 418
- contrast, adjusting for pictures, 210
- copies of documents, saving, 64
- copying
 - formatting, 609
 - formatting from shapes, 232
 - formatting of pictures, 211
 - formatting to text, 134
 - and moving text, 85
 - and moving text and graphics, 604
 - text, 90, 106–107
 - and viewing text formats, 610
- Corrections gallery, pictures, 210
- COUNT function, 173
- cover page, inserting and modifying, 319, 323
- cropping pictures, 205–206
- cross-reference entry, 626
- cross-references, inserting, 478
- CSS (cascading style sheets), 222
- Ctrl key. *See* keyboard shortcuts
- Ctrl+Alt+function key, 616
- Ctrl+function key, 615

Ctrl+Shift+function key, 615
cursor
 defined, 626
 moving, 51
custom themes, creating and managing,
 531–532, 544. *See also* themes
cutting and copying text, 85–86
cutting text, 87
cycle diagram, 248, 626

D

data, switching across axes, 283
data labels, charts, 286, 288
data markers, charts, 285, 291, 626
data point, 626
data series, 626
data source
 choosing and refining, 494–503, 519
 defined, 626
 mail merge process, 494–503
data tables, charts, 288, 292
Date and Time dialog box, 451
date and time field, adding, 452–453
decimal tab, 124–125
Decrease Indent button, 121
default local folder, changing, 561
default Word options, changing, 548–549, 595
deleting. *See also* removing
 characters, 91
 comments, 371
 custom themes, 153
 endnotes, 456
 footers, 319
 footnotes, 456
 graphics, 603
 headers, 319
 table elements, 175, 185
 tables, 185
 text, 91, 106–107, 603
demoting, defined, 626
design templates, previewing, 42.
 See also templates
Design tool
 equations, 234
 SmartArt graphics, 254
desktop publishing, 626
destination file, 627
diagram shapes
 entering text, 253
 reshaping, 259
 resizing, 259
diagrams. *See also* picture diagrams
 creating, 248–253, 270
 modifying, 254–259, 271
 picture placeholders, 262–263
 Text pane, 248–250
 using, 627
dialog box launcher, 10, 12, 627
dialog boxes, keyboard shortcuts, 617–618
dictating text into documents, 83
dictionaries
 adding, 101–102
 displaying definitions, 98–99
 managing, 410–411
digital signature, 627
Display For Review options, 627
display options, managing, 554, 568
.docm format, 68
Document Formatting gallery, 143
Document Inspector, 422–425, 627
document markup, displaying and reviewing,
 395–396
document parts, inserting, 329
document property field, inserting, 453
document setting sections, managing, 565
document statistics, displaying, 102
document themes, changing, 149–153, 158.
 See also custom themes; themes
documents
 changing areas, 50–51
 coauthoring, 389–393
 comparing and combining, 373–378, 396
 comparing and merging, 396
 creating, 38–42, 74
 displaying, 6, 15, 59
 displaying views, 53–59, 75–76
 formats, 68
 importing, 80
 managing, 13
 marking as final, 428
 marking up, 394
 moving around, 48–52, 74–75, 607–608
 opening, 44–48, 74–75
 printing and previewing, 602
 printing and sending, 429–435, 439
 Protected View, 46

- reviewing, 602
- saving and closing, 61–72, 78
- saving copies, 64
- sharing, 24
- switching views, 57
- .docx format, 68–69
- .dotm format, 68
- .dotx format, 68
- Down Arrow, cursor movement, 51
- draft saving frequency, changing, 561
- Draft view, 53, 55, 58, 627
- drag-and-drop editing, 627
- dragging, 627
- Draw Table feature, using, 170, 177
- drawing canvas
 - defined, 627
 - shapes, 224
- drawing object, 627
- drop caps, defined, 627
- drop caps, formatting, 136

E

- edit boxes, using in dialog boxes, 618
- editing
 - and displaying file properties, 60–61
 - file properties, 77
 - and formatting pictures, 202–203
 - PDF files in Word, 48
 - pictures, 204, 239–240
- Editor pane, 401, 404
- effects, changing for shapes, 258
- electronic distribution, preparing documents, 422–425, 428, 438
- email
 - mail merge process, 492–493
 - sending documents by, 432, 434–435
- embed codes, video content, 212
- embedded object, 627
- embedding fonts, 560–561
- Encrypted option, 384
- endnotes
 - defined, 627
 - deleting, 456
 - inserting and modifying, 454–456, 479–480
 - keyboard shortcuts, 603
- entering text, 80–81, 106
- envelopes, generating, 510–514, 520–521

- equations
 - building, 237, 242–243
 - Design tool, 234
 - formatting, 235
 - inserting, 233, 236
 - reformatting, 237
 - saving, 238
- error bars, charts, 286, 288
- error indicators, 400
- errors, correcting, 94
- Even Page section break, 418
- Excel worksheets. *See also* charts; worksheet area
 - inserting charts, 280
 - inserting content, 171
 - linking to Word, 278
 - opening linked charts, 283
- Extensible Markup Language (XML), 627

F

- feedback, providing, 28–32, 36
- field name, 627
- fields
 - defined, 627
 - displaying information, 450–453, 479
 - working with, 612–613
- file formats
 - defined, 627
 - saving documents, 68
- file name, 7
- file properties, displaying and editing, 60–61, 77. *See also* properties
- file saving options, managing, 559–561. *See also* saving
- files, saving to OneDrive, 66–67. *See also* online files
- Fill Effects, 304
- filtering, 628
- final document, marking, 428
- finding and replacing content, 50, 93, 95–96, 108, 600–601, 622
- First Line indent, applying, 120–122
- flipping
 - pictures, 205
 - shapes, 227
- font color, changing, 132. *See also* colors
- Font dialog box, character formatting, 130, 134
- font effect, 628
- Font group, character formatting, 129

- font size
 - changing, 131
 - defined, 628
- font style, 628
- fonts. *See also* characters
 - changing, 131, 609
 - defined, 628
 - embedding, 560
 - resizing, 609
 - saving, 560
- footers
 - defined, 628
 - deleting, 319
 - inserting, 316–318, 328
- footnotes
 - defined, 628
 - deleting, 456
 - inserting and modifying, 454–456, 479–480
 - keyboard shortcuts, 603
- Format Axis options, 293
- Format tab, SmartArt graphics, 255
- Format tool, pictures, 203–204
- formatting
 - charts, 291–295, 299
 - copying, 609
 - copying for pictures, 211
 - copying from shapes, 232
 - copying to text, 134
 - defined, 628
 - equations, 235
 - options, 12
 - page background, 302, 327
 - page numbers, 318
 - pictures, 239–240
 - shapes, 228–229
 - stopping automation, 558
 - tables, 196
- formatting commands, repeating, 134
- formula, 628
- Formula dialog box, 173
- Fraction gallery, 234
- frames, applying to pictures, 207
- function key tasks, 613–616
- functions, using with tables, 173

G

- galleries
 - defined, 628
 - and panes, 621–622
 - scrolling content, 12
- GIF (Graphics Interchange Format) files, 200
- glows, applying to pictures, 207
- Go To tab, 50, 52
- Go To What list, 52
- grammar checker, 400–401, 405–408, 410
- graphic formats, 200
- graphics
 - copying and moving, 604
 - defined, 628
 - deleting, 603
 - selecting, 605
- grayscale, 628
- Grid And Guides dialog box, 342
- grid settings, changing, 346
- Grid Tables, 187
- gridlines
 - charts, 286, 289, 292
 - defined, 628
 - displaying and hiding, 345
- gridlines, displaying and hiding, 56, 59
- group buttons, 18
- grouping, 628
- groups, 10, 628

H

- handles, shapes, 226
- hands-free typing, 628
- hanging indent, creating, 122
- hard copy, 628
- hard page break, 417
- header row, tables, 187, 192. *See also* rows
- headers
 - defined, 628
 - deleting, 319
 - inserting, 316–318, 328
- help, getting, 28–32, 36, 622–623
- hidden characters, 124. *See also* characters
- hidden text, including in printed documents, 417
- hierarchy diagram, 248, 628
- highlighting text, 133
- Home page, disabling, 38
- HTML (Hypertext Markup Language), 629

hyperlink, 628
 hyperlinking to resources, 448–449
 Hypertext Markup Language (HTML), 629
 hyphenating content, 166, 629

I

icons
 defined, 629
 inserting and formatting, 220–222, 241
 Image Size And Quality, 567
 images. *See* pictures
 importing
 content from online files, 82
 documents, 80
 text, 81, 106
 Increase Indent button, 121
 indent marker, 629
 indentation
 changing in columns, 167
 tables, 178
 indenting
 lists, 139
 and outdenting paragraphs, 121–122
 indents, configuring, 120–122
 index entry, 629
 index entry field, 629
 indexes
 creating and modifying, 463–469, 481
 defined, 629
 inking, 629
 inline position, pictures, 199
 inserting
 3D models, 265–266
 background watermarks, 309–314, 327–328
 bookmarks, 478
 building blocks, inserting, 329
 character codes, 605
 charts from Excel, 280
 comments, 358–361
 cover page, 319
 cross-references, 444–449, 478
 document parts, 329
 document property field, 453
 equations, 233, 236
 footers, 328
 and formatting icons, 220–222, 241
 headers, 328
 merge fields, 504–507, 519

 and modifying 3D models, 263–269, 272–273
 and modifying cover pages, 323
 and modifying endnotes, 454–456, 479–480
 and modifying footnotes, 454–456, 479–480
 page break, 419–421
 page numbers, 328
 picture diagrams, 261–262
 pictures, 198–200, 239
 screenshots, 216–219, 240
 section break, 421
 special characters, 604–605
 symbols, 230–231
 text boxes, 320, 324–325
 installing Office tools, 100
 instructions, formats, 16–17
 italic text, formatting, 131

J

JPEG (Joint Photographic Experts Group) files, 201
 justifying, defined, 629

K

keyboard focus, changing, 620–621
 keyboard shortcuts
 actions, 622
 aligning paragraphs, 611
 Alt+function key, 616
 Alt+Shift+function key, 616
 applying character formats, 610
 Backstage view, 619
 bold text, 131
 case options for text, 133
 character codes, 605
 common tasks, 599–600
 copying formatting, 609
 copying text and graphics, 604
 Ctrl+Alt+function key, 616
 Ctrl+function key, 615
 Ctrl+Shift+function key, 615
 cursor movement, 51
 customizing, 624
 cutting text, 87
 date and time field, 453
 defined, 629
 deleting text and graphics, 603
 diagrams, 252
 dialog boxes, 617–619

keyboard shortcuts (*continued*)

- edit boxes in dialog boxes, 618
- endnotes, 603
- extending selections, 606
- fields, 612–613
- finding and replacing content, 622
- finding and replacing text, 600
- Font dialog box, 134
- footnotes, 603
- formatting commands, 134
- function key tasks, 613–614
- galleries and panes, 621–622
- Go To tab, 52
- Help window, 622–623
- inserting characters in tables, 609
- italic text, 131
- Language bar, 613
- line spacing, 611
- mail merges, 612
- moving around tables, 608
- moving content in tables, 609
- moving text and graphics, 604
- moving through documents, 607–608
- Open and Save As dialog boxes, 619
- Outline view, 337, 601–602
- panes and galleries, 621–622
- paragraph marks, 126
- paragraph styles, 611–612
- pasting content, 88
- printing and previewing documents, 602
- promoting list items, 257
- Read Mode, 602
- redisplaying ribbon, 22
- references, 603
- removing character formatting, 134
- Results page, Navigation pane, 94
- reviewing documents, 602
- ribbon, 619
- ribbon tabs, 21
- Save As and Open dialog boxes, 619
- saving documents, 64
- selecting all content, 87
- selecting text and graphics, 605, 607
- Shift+function key, 614
- special characters, 604–605
- structural characters, 126
- switching views, 601
- tables, 621

- tracked changes, 362
- underlined text, 131
- undoing actions, 91
- viewing and copying text formats, 610
- webpages, 603
- windows, 617

L

- Label function, using, 514–516
- labels
 - disappearance, 18
 - mail merge process, 489–492, 520–521
- landscape orientation, 412, 629
- Language bar, using, 613
- languages
 - changing for Translator tool, 103
 - grammar checker, 401
 - managing options, 562–565
- layout, controlling, 437
- Layout Options, Advanced page, 571
- Left Arrow, cursor movement, 51
- Left indent, applying, 114, 120–121
- Left tab, 124–125
- legend
 - charts, 286–287, 289, 291
 - defined, 629
- letters, mail merge process, 488–489
- Level 1 through Level 9, outlines, 147–148
- line break character, 124
- line breaks
 - defined, 629
 - inserting, 124, 126
- line chart, 277, 629
- line graph, 629
- line spacing, setting, 116–117, 611
- lines
 - charts, 287, 289
 - moving to, 51
 - selecting, 87
- linked charts, opening, 282–283
- linked object, 629
- LinkedIn
 - defined, 629
 - enabling features, 553
- list diagram, 248, 629
- List Tables, 187

lists. *See also* tabbed lists
 creating and modifying, 137–141, 156–157
 example, 15
 indentation, 139
 levels, 138
 Live Preview, 553, 629
 location list, displaying options, 47
 locking content, 391
 lowercase text, 133, 135

M

macro, defined, 629
 magnification, changing, 20, 56, 58
 mail merge process
 data source, 494–503, 519
 defined, 629
 email messages, 492–493
 labels, 489–492
 letters, 488–489
 performing, 612
 refreshing data, 504
 starting, 487, 518
 understanding, 486–487, 518
 Mailing Address box, advanced options, 570
 mailing labels, generating, 514–516
 main document, 629
 manual page break, 629
 margins
 defined, 629
 setting, 413, 415–416
 markup. *See also* comments; tracked changes
 defined, 629
 displaying, 364–369
 markup views, 630
 Math AutoCorrect options, 409
 matrix diagram, 248, 630
 MAX function, 173
 merge, previewing and completing, 507–509, 520
 merge fields
 defined, 630
 inserting, 504–507, 519
 merging documents, 373–378, 396
 Microsoft Office Compatibility Pack for Word, 71
 MIN function, 173
 Mini Toolbar
 character formatting, 129
 enabling and disabling, 552

More button, 12
 Mouse mode, 19–20
 moving
 and copying text, 85
 cursor, 51
 groups of shapes, 232
 and modifying shapes, 225–228
 pictures, 200, 239
 text, 89, 106–107
 Multilevel List button, 138

N

Navigation pane
 defined, 630
 managing content, 332–333
 outlines, 148
 Results page, 94
 search box, 91–92
 using, 52, 57
 nested table, 349–350, 630
 Next Page section break, 418
 No Markup view, 630
 nonprinting characters, displaying and hiding, 59.
 See also characters
 Normal template, 40
 number style, customizing, 140
 numbered lists, formatting, 137–138

O

objects
 aligning, 345
 anchoring, 344
 arranging, 338–347, 352–353
 defined, 630
 displaying and hiding, 347
 moving, 346
 positioning, 343–344
 selecting, 343
 stacking order, 347
 wrapping, 344
 Odd Page section break, 418
 Office 365 subscription, managing, 26
 Office and Office 365, 8–9
 Office and Word options, managing, 550–552.
 See also Word Options dialog box
 Office intelligent services, enabling, 553

- Office Online, 8
- Office shapes, converting icons, 222.
 - See also* shapes
- Office theme, 151
- Office tools, installing, 100
- Office updates, managing, 27
- OneDrive files, AutoSaving, 559
- OneDrive storage. *See also* storage locations
 - connecting to, 24
 - saving files to, 66–67
- online files, importing content, 82. *See also* files
- Online Pictures feature, 213
- Open dialog box, using, 619
- opening
 - documents, 44–48
 - PDF files, 48
- orientation, 412, 417, 630
- Original view, 630
- orphan, 417, 630
- outdenting and indenting paragraphs, 121–122
- outline levels, managing, 147–148
- Outline Tools group, 336
- Outline view, 53, 55, 58, 334–337, 351, 601–602, 630
- Outlook, using, 432, 435

P

- page background, formatting, 302–309, 327
- page break, inserting, 419–421
- Page Down, cursor movement, 51
- page layout
 - controlling with tables, 348–350, 353
 - previewing and adjusting, 411–417, 437
- page numbers
 - formatting, 318
 - inserting, 328
- Page Setup dialog box, 413–414
- Page Up, cursor movement, 51
- palette, 630
- panes and galleries, accessing and using, 621–622
- paper size, 413
- paragraph, 630
- paragraph formatting
 - alignment, 115–116
 - applying, 114–115, 154, 417–418
 - borders and shading, 123
 - defined, 630
 - indenting and outdenting, 122
 - indents, 120–122
 - left indent, 114
 - vertical spacing, 116–120
- paragraph marks, displaying and hiding, 126
- paragraph spacing, 116–118
- paragraph styles
 - applying, 611–612
 - defined, 630
- paragraphs
 - aligning, 611
 - converting to bulleted/numbered lists, 138
 - indenting and outdenting, 121–122
 - justifying in columns, 162
 - moving to, 51
 - selecting, 87
- passwords, using, 384–389
- Paste Function list, 173
- Paste options, 88–89
- pasting content, 567
- path, 630
- PDF (Portable Document Format), 48, 69–72, 433, 630
- pen, 630
- photos. *See* pictures
- picture diagrams. *See also* diagrams
 - creating, 260–263, 272
 - defined, 630
 - inserting, 261–262
- Picture Styles group, Format tool, 204, 207
- pictures
 - alt text, 215, 240
 - artistic effects, 210
 - attribution, 213–214
 - brightness, 210
 - compressing, 211
 - contrast, 210
 - copying formatting, 211
 - Corrections gallery, 210
 - cropping, 205–206
 - defined, 630
 - discarding changes, 211
 - editing and formatting, 202–203, 239–240
 - flipping, 205
 - Format tool, 203–204
 - framing and styling, 207
 - inserting, 198–200, 239
 - moving, 200, 239
 - positioning, 202

- recoloring, 203, 209
- removing backgrounds, 208
- resizing, 201, 239
- rotating, 205
- selecting for editing, 204
- sharpness, 210
- text wrapping, 202
- pie chart, 277, 290, 630
- pinning documents, 46
- Plain Tables, 187
- Plain Text format, 69
- Play 3D group, 266
- plot area, charts, 285, 291, 630
- PNG (Portable Network Graphic) files, 201
- point, 630
- pointing to, 630
- portrait orientation, 412, 631
- Position gallery, 338
- Position tab, 341
- post, 631
- previewing
 - and adjusting page layout, 411–417, 437
 - and completing merge, 507–509, 520
- Print Layout view, 53, 631
- printed documents, hidden text, 417
- printing
 - options, 569
 - and previewing documents, 602
 - and sending documents, 429–435, 439
- procedures, adapting, 16–17
- process diagram, 248, 631
- promoting, 631
- proofing options, managing, 555–558
- Proofing page, 557–558
- properties. *See also* file properties
 - displaying, 60
 - tables, 178
- Protected View, opening documents, 46
- pull quote, 631
- Punctuation Conventions, 401
- pyramid diagram, 248, 631

Q

- query, 631
- Quick Access Toolbar
 - customizing, 572–577, 595–596
 - defined, 631
 - transferring customizations, 578–579
 - using, 7
- Quick Layouts, charts, 287–289
- Quick Parts. *See* building blocks
- Quick Parts gallery, 539
- Quick Tables, inserting, 190–191, 631. *See also* tables

R

- Read Mode view, 53, 602, 631
- Read-Only, 46–47, 60, 428, 631
- recent documents, opening, 45, 568
- recoloring. *See also* colors
 - icons, 222
 - pictures, 203, 209
- record, 631
- reference and research tools, using, 109
- reference mark, 631
- reference tables, 461
- references, keyboard shortcuts, 603
- refreshing data, mail merge process, 504
- relationship diagram, 248, 631
- Remix 3D online library, 264
- removing. *See also* deleting
 - character formatting, 134
 - page break, 421
 - read-only protection, 428
 - section break, 421
 - shapes from SmartArt graphics, 256
 - tab stops, 126
 - watermarks, 314
- Replace function, 94, 96
- resizing
 - columns, 166
 - diagram shapes, 259
 - fonts, 609
 - icons, 222
 - pictures, 201, 239
 - shapes, 227
 - table columns, 182
 - table rows, 183
 - tables, 183
 - windows, 56

restricting actions

- restricting actions, 379–384
- Results page, Navigation pane, 91–92, 94
- reviewing documents, 602
- Revisions pane, 366, 368–369, 631
- ribbon
 - of commands, 10
 - customizing, 580–584, 597
 - defined, 631
 - display options, 7
 - displaying tabs, 21
 - hiding, 19, 21
 - navigating, 620
 - optimizing for touch interaction, 22
 - redisplaying, 21–22
 - using, 6, 15, 18–22
 - width, 18
- Rich Text Format (.rtf), 69
- Right Arrow, cursor movement, 51
- right indent, applying, 120, 125
- right tab, 124
- rotate handles, pictures, 199
- Rotate Objects menu, 227
- rotating
 - 3D chart layout, 291
 - 3D models, 268
 - icons, 222
 - pictures, 205
 - shapes, 227
- Row tab, Table Properties, 178–179
- rows. *See also* header row; total row
 - inserting, 183–184
 - ranges, 173–174
 - resizing, 183
 - selecting in tables, 182
- .rtf format, 69
- rulers, displaying and hiding, 56, 59, 121

S

- saturation, 631
- Save As dialog box, 63
- Save section, Advanced page, 570
- saving. *See also* file saving options
 - AutoRecover information, 560
 - and closing documents, 61–72, 78
 - copies of documents, 64
 - documents, 600
 - equations, 238
 - files to OneDrive, 66–67
 - fonts, 560
 - style sets, 530
- scalable vector graphic (SVG), 631
- screen clipping, 631
- screen resolution, changing, 20
- screen space, adjusting, 56
- screenshots, inserting, 216–219, 240
- ScreenTips, 11, 16, 250, 533, 569, 631
- scroll arrows, 18
- scroll buttons, 12
- search box, Navigation pane, 91–92
- searching content, 93–96
- section break, 418–419, 421, 631
- security options, managing, 598
- selecting
 - content, 87
 - defined, 631
 - shapes for editing, 226
 - text, 84, 86–87
 - text and graphics, 605–606
- selection area, 84, 631
- Selection pane, displaying, 343
- selections, extending, 606
- sentences, selecting, 86
- series axis, 632
- settings, managing, 22–27, 35
- shading, applying to tables, 189
- shadows, applying to pictures, 207
- shapes. *See also* Office shapes; SmartArt graphics
 - adding text, 225
 - adding to SmartArt graphics, 255–256
 - applying colors and effects, 259
 - availability, 223
 - changing, 228
 - changing effects, 258
 - changing hierarchy, 257
 - copying formatting, 232
 - creating, 224
 - cropping pictures to, 206
 - drawing and modifying, 223–224, 242
 - flipping, 227
 - formatting, 228–229
 - formatting text, 229
 - grouping and moving, 232
 - handles, 226
 - moving and modifying, 225–228
 - moving in SmartArt graphics, 256

- removing from SmartArt graphics, 256
 - resizing, 227
 - rotating, 227
 - selecting for editing, 226
 - Text Box margins, 225
 - ungrouping, 233
 - WordArt text effects, 259
 - Share pane, 390, 432–433
 - SharePoint library, 632
 - SharePoint Online files, AutoSaving, 559
 - SharePoint sites, connecting to, 24
 - sharing documents, 24
 - sharpness, adjusting for pictures, 210
 - Shift+function key, 614
 - shortcuts, viewing, 15
 - Simple Markup view, 368, 632
 - Size group, Format tool, 204
 - size handles, pictures, 198–199
 - sizing handle, 632
 - Smart Lookup pane, 98
 - SmartArt graphics. *See also* shapes
 - adding shapes, 255–256
 - changing layouts, 257
 - color schemes, 258
 - defined, 632
 - diagrams, 248–250, 252
 - Design tool, 254
 - Format tab, 255
 - hierarchy of shapes, 257
 - moving shapes, 256
 - removing shapes, 256
 - resetting defaults, 258
 - soft page break, 417, 632
 - soft returns, 124
 - sorting
 - bulleted lists, 139
 - data in tables, 181
 - source file, 632
 - sources, citing, 470–477, 482
 - spacing, adjusting for paragraphs, 119–120.
 - See also* character spacing
 - special characters, inserting, 604–605
 - spelling issues, checking, 373, 405–408, 410
 - Spike, 632
 - splitting
 - table cells, 185
 - windows into panes, 59
 - spreadsheet content, inserting, 171
 - stack, 632
 - Start screen, disabling, 38
 - starting Word, 4–5, 34
 - status bar
 - defined, 632
 - indicator, 632
 - specifying items, 22
 - using, 6, 14–15
 - storage locations, connection to, 25–26.
 - See also* OneDrive storage
 - Strikethrough button, 132
 - structuring content, 155
 - Style area, 58
 - style area pane, 55, 632
 - style sets, saving, 530
 - styles
 - applying, 142–143, 146, 157–158
 - creating and modifying, 524–531, 543
 - defined, 632
 - linking, 528
 - Styles gallery, 146, 524, 529
 - Styles pane, using, 144–145
 - subentry, 632
 - subscript characters, 132
 - SUM function, 173
 - superscript characters, 132
 - SVG (scalable vector graphics), 201, 222, 631
 - switching document views, 57
 - symbols
 - equations, 236
 - inserting, 230–231
 - synonyms, displaying, 99–100, 103, 109
- ## T
- tab characters, inserting, 126
 - tab leaders, 126, 632
 - tab stops
 - defined, 632
 - setting, 124, 126
 - tabbed lists. *See also* columns; lists
 - converting to tables, 180
 - creating, 167–169, 194–195
 - defined, 632
 - table elements, background color, 193
 - table of authorities, 461, 632

- table of contents
 - creating and modifying, 456–463
 - defined, 632
- table of figures, 461, 632
- Table Properties dialog box, 179
- table styles
 - applying, 192
 - defined, 633
- Table Styles gallery, 187
- tables. *See also* Quick Tables
 - Alt Text tab, 178–179
 - borders, 189, 192
 - cells and rows, 173–174
 - character formatting, 189
 - controlling page layout, 348–350, 353
 - creating, 170, 175–176
 - defined, 632
 - deleting, 185
 - deleting elements, 175, 185
 - drawing, 177
 - entering data, 177
 - features, 169, 172
 - formatting, 186–188, 192, 196
 - functions and formulas, 173
 - header and total rows, 187, 192
 - inserting characters, 609
 - inserting from shared documents, 177
 - layout options, 178
 - merging and splitting cells, 174
 - moving around, 608
 - moving content, 609
 - navigating, 180
 - navigating and working in, 621
 - nesting, 349–350
 - presenting information, 195–196
 - resizing, 174, 183
 - selecting columns, 182
 - selecting text and graphics, 607
 - shading, 189
 - sorting data, 181
- tables of contents, creating and modifying, 456–463, 480
- tabs. *See also* tool tabs
 - active and inactive, 10
 - defined, 632
- Tabs dialog box, opening, 126
- target, 633
- Tell Me feature, 30
- templates. *See also* design templates
 - availability, 38–39
 - basing documents on, 42–43
 - charts, 281
 - clearing searches, 43
 - contents, 40–41
 - creating and attaching, 533–537, 544
 - defined, 633
 - removing search filters, 43
- text
 - adding to shapes, 225
 - aligning in table cells, 181
 - changing case, 133
 - copying, 90, 106–107
 - copying and moving, 604
 - copying formatting, 134
 - cutting and copying, 85–87
 - deleting, 91, 106–107, 603
 - dictating into documents, 83
 - entering, 80–81, 106
 - entering for diagrams, 251
 - entering in tabbed lists, 168
 - entering into diagram shapes, 253
 - finding and replacing, 108
 - formatting on shapes, 229
 - formatting options, 131–132
 - formatting while typing, 141
 - highlighting, 133
 - importing, 81, 106
 - justifying in columns, 166
 - laying out in columns, 165
 - moving, 89, 106–107
 - moving and copying, 85
 - replacing, 96–97
 - searching, 94
 - selecting, 84, 86–87, 605
 - translating, 103–104
- Text Box margins, shapes, 225
- text boxes
 - defined, 633
 - inserting, 320, 324–325
- text effects, applying, 130–131
- text entries, changing automatically, 558
- text errors, locating and correcting, 400–411, 436
- text formats, viewing and copying, 610
- Text pane, diagrams, 248–250

text wrapping
 defined, 633
 pictures, 202
 tables, 178

themes. *See also* custom themes;
 document themes
 and backgrounds, 24
 defined, 633

thesaurus, defined, 633

Thesaurus pane, 99, 103

thumbnails, defined, 633

tick-mark, 633

time and date field, adding, 452–453

title bar, 6–7

titles, charts, 292

tOGGLE cASE, 133

tool tabs, 10–11, 633. *See also* tabs

tooltips, 11, 16, 250, 533, 569, 631

total row, tables, 187, 192. *See also* rows

touch interaction, 22

Touch mode, 19–20

touchscreen devices, 15

tracked changes, 361–364, 371–373.
See also comments; markup

Translator tool, 100–101, 103–104, 109

trendline, charts, 287, 289

Trust Center options, configuring, 587–594, 598

.txt format, 69

U

underlined text, formatting, 131

undoing actions, 91

Unencrypted option, 385

updates, managing, 27

up/down bars, charts, 289

uppercase text, 133, 135

URLs, formatting as hyperlinks, 448

user badge, 391

user identification, changing, 553

user information, 7

user interface
 app window elements, 6–7, 10–15
 documents, 6
 features, 3, 5
 transferring customizations, 578
 working in, 34

V

value axis, 633

vector graphic, 633

versions of documents, comparing, 377–378

vertical spacing, configuring, 116–120

video content, adding to documents, 212

View Shortcuts toolbar, 15, 54, 633

View tab, 54

viewing documents, 600

views
 defined, 633
 displaying, 53–59
 switching, 601

vlog, 633

Vocabulary Choice, 403, 407

W

watermarks, 309–314, 327

web browser, 633

Web Layout view, 53, 633

webpages
 defined, 633
 keyboard shortcuts, 603

white space, showing and hiding, 54, 57

widow, 417, 633

wildcard character, 633

window management, 7

windows
 keyboard shortcuts, 617
 resizing, 56
 splitting into panes, 59

Word
 [Compatibility Mode], 71
 starting, 4–5, 34
 suggesting changes to, 32

word definitions, displaying, 98, 101, 103, 109

Word file formats, 68

Word Home page, enabling and disabling, 553

Word Online, 8, 634

Word Options dialog box. *See also* Office and
 Word options
 opening, 27, 548–549
 Save page, 559

word processing, 3, 634

word wrap, 634

WordArt

WordArt

- applying, 130
 - defined, 634
 - styles for charts, 294–295
 - text effects for shapes, 259
- words
- moving to, 51
 - selecting, 86
- worksheet area, changing for charts, 284.
See also Excel worksheets
- worksheet data, selecting for editing, 283

X

- x-axis, 634
- .xml format, 68, 627
- .xps format, 69–70, 433

Y

- y-axis, 634
- YouTube, connecting to, 24

Z

- z-axis, 634
- zoom controls, using, 58
- Zoom Level button, 56
- zoom slider and button, 15