

MCTS Self-Paced Training Kit (Exam 70-662): Configuring Microsoft® Exchange Server 2010

ISBN: 978-0-7356-2716-1

First printing: October, 2010

To ensure the ongoing accuracy of this book and its companion content, we've reviewed and confirmed the errors listed below. If you find a new error, we hope you'll report it to us on our website: www.microsoftpressstore.com/contact-us/errata.

Page	Location	Description	Date corrected
5	First paragraph, second sentence	<p>Reads: ...these steps will are given...</p> <p>Should read: ...these steps are given...</p>	2/10/2012
5	Fourth bulleted item	<p>Reads: The computer hosting the Schema Master role is running the Windows Server 2003 operating system or later operating system, such as Windows Server 2008.</p> <p>Should read: The computer hosting the Schema Master role is running the Windows Server 2003 operating system or later. (Exchange Server 2010 Service Pack 2 requires the Schema Master to be running Windows Server 2003 SP2 or later.)</p>	2/10/2012
10	Second bulleted list, second item	<p>Reads: The Schema Master should be running Windows Server 2003 or later.</p> <p>Should read: The Schema Master should be running Windows Server 2003 or later. (Windows Server 2003 SP2 or later for Exchange Server 2010 SP2)</p>	2/10/2012
17	Second bulleted list item	<p>Reads: Exchange-Hub.xml Use this configuration file with ServerManagerCmd.exe to install the roles, role services, and features required to support the Edge Transport server role.</p> <p>Should read: Exchange-Hub.xml Use this configuration file with ServerManagerCmd.exe to install the roles, role services, and features required to support the HubTransport server role.</p>	2/10/2012

Page	Location	Description	Date corrected
54	Second code block from bottom of page	Reads: Get-MailboxDatabase -Identity "<server name>\database name" Format-Table Name, GUID Should read: Get-MailboxDatabase -Identity "database name" Format-Table Name, GUID	2/10/2012
54	"Configuring the Database Size Limit" section, second paragraph, second sentence	Reads: There is no default database size limit for Exchange 2010 Enterprise Edition. Should read: The default database size limit for Exchange 2010 Enterprise Edition was set at 1024 GB on the release of SP1.	10/15/2014
63	First code block, third line	Reads: EventHistoryRetentionPeriod 28.00:00:00... Should read: EventHistoryRetentionPeriod 14.00:00:00...	2/10/2012
82	"Lesson Review" section, question 1, answer C	Reads: ...VAN-EX2 Should read: ...DEN-EX2	4/1/2011
86	Step 12	The following should be deleted: ...the public folder database on the VAN-EX1 server should be specified,...	10/15/2014
87	Step 4 code block, second line	Reads: ConditionalDepartment Marketing -IncludedRecipients MailboxUsers Should read: -ConditionalDepartment Marketing -IncludedRecipients MailboxUsers	4/1/2011
88	Step 7 code block, third line	Reads: ...DC=Adatum,DC=extest,DC=com') Should read: ...DC=Adatum,DC=com')	2/10/2012
99	Code block at bottom of page, first line	Reads: ...LinkedDomain Controller Should read: ...LinkedDomainController	2/10/2012

Page	Location	Description	Date corrected
102	First paragraph, first sentence	<p>Reads: To configure storage quota settings on a per-mailbox level from the EMC,...</p> <p>Should read: To configure storage quota settings on a per-mailbox level from the EMS,...</p>	4/1/2011
104	First paragraph, first sentence	<p>Reads: Use the Set-Mailbox cmdlet to add proxy addresses to an existing mailbox using the EMC.</p> <p>Should read: Use the Set-Mailbox cmdlet to add proxy addresses to an existing mailbox using the EMS.</p>	2/10/2012
114	Last paragraph, first sentence; and last code block	<p>Last paragraph, last sentence reads: ...SenderKeyWorks, SubjectKeyWorks...</p> <p>Should read: ...SenderKeyWords, SubjectKeyWords...</p> <p>Last code block reads: ...-SubjectKeyWorks "Christmas Party Photos" -SenderKeyWorks...</p> <p>Should read: ...-SubjectKeyWords "Christmas Party Photos" -SenderKeyWords...</p>	4/1/2011
118	Step 4	<p>Reads: ...repeat this in the User Logon Name fields, and then enter a password.</p> <p>Should read: ...repeat this in the User Logon Name fields, and then enter a password if required.</p>	2/10/2012
142	"Mail Enabled Users" section, first sentence	<p>Reads: ...but have their mailboxes hosted by an eternal organization.</p> <p>Should read: ...but have their mailboxes hosted by an external organization.</p>	4/1/2011
176	"Configure Public Folders" heading	<p>Reads: Configure Public Folders</p> <p>Should read: Configure Dynamic Distribution Groups</p>	2/10/2012
204	Last paragraph, first sentence	<p>Reads: You can use the Set-OwaVirtualDirectory cmdlet to configure these settings from the EMC.</p> <p>Should read: You can use the Set-OwaVirtualDirectory cmdlet to configure these settings from the EMS.</p>	2/10/2012

Page	Location	Description	Date corrected
254	First code block	Reads: Get-Mailbox -Filter {Department -eq "Marketing"} Should read: Get-Mailbox -Filter {Department -eq "Marketing"} Set Mailbox -Sharingpolicy -Adatum Marketing-	2/10/2012
325	Note reader aid, third sentence	Reads: ...New-Send-Connector... Should read: ...New-SendConnector...	2/10/2012
368	Third bulleted list item	Reads: * .NET FrameWork 3.51 Should read: * .NET Framework 3.5.1	10/15/2014
374	Question 1	Reads: ...before you can install the Hub Transport role? Should read: ...before you can install the Edge Transport role?	2/10/2012
413	Third code block, first line	Reads: Set-Transportserver... Should read: Set-MailboxServer...	2/10/2012
439	Penultimate paragraph, last sentence	Reads: ...ELHO... Should read: ...EHLO...	2/10/2012
497	Step 1	Reads: 1. Open the EMS. Should read: 1. Open the EMC.	10/15/2014
500	Quick Check Answer, after bulleted item	The following bulleted item should be added: * Configuring the location of the connectivity log files	10/15/2014
521	"Specifying Diagnostic Logging Levels" section, first paragraph, last sentence	Reads: ...MSEXchangeTransport... Should read: ...MSExchangeTransport...	10/15/2014

Page	Location	Description	Date corrected
525	Quick Check Answer	Reads: ...HUB-EX2... Should read: ...VAN-HUB1...	10/15/2014
549	Last code block	Reads: \$OldPolicy={Get-RetentionPolicy "Old-Retention-Policy"}.distinguishedName Get-Mailbox -Filter {RetentionPolicy -eq \$OldPolicy} -Resultsize Unlimited Set-Mailbox -RetentionPolicy "New-Retention-Policy Should read: \$OldPolicy={Get-RetentionPolicy "Old-Retention-Policy"}.distinguishedName Get-Mailbox -Filter {RetentionPolicy -eq \$OldPolicy} -Resultsize Unlimited Set-Mailbox -RetentionPolicy "New-Retention-Policy	2/10/2012
557	Second paragraph, first sentence	Reads: The procedure to create a managed custom folder using the EMS is... Should read: The procedure to create a managed custom folder using the EMC is...	10/15/2014
567	Question 3, last sentence	Reads: ...each answer forms part of the solution. Should read: ...each answer forms a complete solution.	2/10/2012
568	Sixth paragraph, second sentence	Reads: ...stored is a journalling mailbox... Should read: ...stored in a journalling mailbox...	10/15/2014
598	Question 1, answer D	Reads: ...\$true Should read: ...\$false	2/10/2012

Page	Location	Description	Date corrected
599	Exercise 1, step 2, text and code	<p>Step text, first sentence reads: 2. Create a DPT and set it as primary.</p> <p>Should read: 2. Create a DPT.</p> <p>First line of code reads: New-RetentionPolicyTag "Tag-EXERCISE-DPT" -Type All -IsPrimary \$true -Comment</p> <p>Should read: New-RetentionPolicyTag "Tag-EXERCISE-DPT" -Type All -Comment</p>	10/15/2014
648	Fifth paragraph and following code block	<p>Fifth paragraph reads: ...fabricam,com...</p> <p>Should read: ...fabrikam.com...</p> <p>Code block reads: ...fafricam.com...</p> <p>Should read: ...fabrikam.com...</p>	2/10/2012
654	Third paragraph	<p>Reads: ...fabricam.com...</p> <p>Should read: ...fabrikam.com...</p>	10/15/2014
704	Question numbering	There should not be a number 3 at the top of the page because this is a continuation of question 2. Questions 4, 5, and 6 should be 3, 4, and 5.	2/10/2012
712	Question 1	<p>Reads: Which of the following EMS cmdlets can you use to configure an existing public folder so that replicates to two other public folder databases within your organization?</p> <p>Should read: Which of the following EMS cmdlets can you use to configure an existing public folder so that it replicates to two other public folder databases within your organization?</p>	10/15/2014
718	First paragraph, second sentence; fifth bulleted item	<p>First paragraph, second sentence and the fifth bulleted list item read: ...a NBL...</p> <p>Should read: ...an NBL...</p>	10/15/2014

Page	Location	Description	Date corrected
742	Last paragraph, second sentence	Reads: ...EMS... Should read: ...EMC...	2/10/2012
747	Step 13	Reads: Merge the databases by exporting the data from the RDB and importing it into the recovered database: Should read: Merge the databases by exporting the data from the RDB and importing it into the dial-tone database, which now becomes the recovered database.	10/15/2014
759	"Recovering a Client Access Server" section, fourth paragraph, last sentence	Reads: ...in the vent... Should read: ...in the event...	2/10/2012
787	Lesson 3, question 1, answer D	Reads: ...Setup.com/mide:install... Should read: ...Setup.com/mode:install...	10/15/2014